

JALLA

Bulletin of the Finnish Expert Group on Hemiptera



Vol. 1, Helsinki 2015

ISSN 2342-8031



Check-list of Finnish Hemiptera

Anders Albrecht, Veikko Rinne, Guy Söderman and Keijo Mattila

Albrecht, A., Rinne, V., Söderman, G. & Mattila, K. Check-list of Finnish Hemiptera. — Jalla 1:1–29, 2015.

The check-list is maintained by the members of the Finnish Expert Group and comprises all Hemiptera species recorded in Finland. The nomenclature follows Aukema & Rieger 1995, 1997, 1999, 2001, 2006 (Heteroptera), Söderman et al. 2009 (Fulgoromorpha et Cicadomorpha), Ossiannilsson 1992 (Psylloidea), Blackman & Eastop 2014 (Aphidoidea), Huldén 1986 & Gertsson 1987 (Aleyrodoidea), Gertsson 2005 (Coccoidea). Synonyms used in Finland have been listed. If a species only has been met with indoors or has been accidentally, or with purpose, introduced, the name has been marked by an asterisk following the description year. Taxonomically or otherwise unclear species have been marked with a question-mark before the name. *Muscaphis drepanosiphoides* (Börner) is listed as a good species. Species added since the latest check-list (Albrecht & al. 2008) are denoted by an asterisk (*) before the species name.

Authors' addresses: Anders Albrecht, Finnish Museum of Natural History; Veikko Rinne, Zoological Museum, University of Turku; Guy Söderman, Finnish Entomological Society and Keijo Mattila, Entomological Society of Tampere.

<http://biolcoll.utu.fi/jalla/> — http://biolcoll.utu.fi/hemi/tyoryhma/tyoryhma_eng.htm

HEMIPTERA

STERNORRHYNCHA

COCCOIDEA

ORTHEZIIDAE

Orthezia Bosc d'Ántic, 1784

urticae (Linnaeus, 1758)

Arctorthezia Cockerell, 1902

cataphracta (Olafsen, 1772)

Newsteadia Green, 1902

floccosa (De Geer, 1778)

MARGARODIDAE

Matsucoccus Cockerell, 1909

matsumurae (Kuwana, 1905)

pini (Green, 1925)

PSEUDOCOCCIDAE

Atrococcus Goux, 1941

**cracens* Williams, 1962

paludinus (Green, 1821)

Pseudococcus Westwood

adonidum (Linnaeus, 1767)*

longispinus (Targioni, 1867)

Planococcus Ferris, 1950

citri (Risso, 1913)*

vovae (Nassonov, 1908)

Phenacoccus Cockerell, 1893

aceris (Signoret, 1875)

hordei (Lindeman, 1886)

graminis E. Reuter, 1904

piceae (Löw, 1883)

Peliococcus Borchsenius, 1948

calluneti (Lindinger, 1912)

Coccura Sulc, 1908

comari (Künnow, 1880)

Trionymus Berg, 1899

perrisi (Signoret, 1875)

Rhizoecus Künchel d Herculais, 1878

cactitans (Hambleton, 1946)*

Heliococcus Sulc

bohemicus Sulc, 1912

hystrix auct. nec (Bärensprung, 1849)

KERMESIDAE

Kermes Boitard, 1828

quercus (Linnaeus, 1758)

ERIOCOCCIDAE

- Gossyparia* Signoret, 1875
spuria (Modeer, 1778)
Acanthococcus Targioni, 1868
baldonensis (Rasina, 1966)
timidus (Huldén, 1985)
**uvaeursi* (Linnaeus, 1758)
Pseudochermes Nitsche, 1895
fraxini (Kaltenbach, 1860)
Luzulaspis Ntargioni, 1868
luzulae (Dufour, 1864)

COCCIDAE

- Eriopeltis* Signoret, 1872
festucae (Boyer de Fonscolombe, 1834)
lichtensteini Signoret, 1876
Pulvinaria Targioni, 1868
vitis (Linnaeus, 1758)
betulae (Linnaeus, 1758)
Coccus Linnaeus, 1758
hesperidum (Linnaeus, 1758) *
Saissetia Deplanche, 1859
coffae (Walker, 1852) *
hemisphaerica (Targioni, 1867)
oleae (Bernhard, 1782) *
Parthenolecanium Sulc, 1908
corni (Bouché, 1844)
Eulecanium Cockerell, 1893
douglasi (Sulc, 1894)
franconium (Lindinger, 1908)
tiliae (Linnaeus, 1758)
Physokermes Targioni, 1868
piceae (Schrank, 1801)
abietis auct. nec (Linnaeus, 1758)
hemicryphus (Dalman, 1825)

DIASPIDIDAE

- Lepidosaphes* Shimer, 1868
beckii (Newman, 1869) *
citricola Packard, 1870
pinnaeformis auct. nec (Bouché, 1851)
conchyformis (Gmelin, 1789) *
ulmi (Linnaeus, 1758)
Leucaspis Signoret, 1869
lowi (Colvèe, 1882)
pini (Hartig, 1837)
Chionaspis Signoret
salicis (Linnaeus, 1758)
Aulacaspis Cockerell, 1892
rosae (Bouché, 1834)
Pinnaspis Cockerell, 1892
aspidistrae (Signoret, 1869) *
Hemiberlesia Cockerell, 1897
rapax (Comstock, 1881) *

- Dynaspidiotus* Thiem & Gerneck, 1934
hederae (Vallot, 1829) *
Diaspidiotus Berlese, 1896
bavaricus Lidinger, 1912
ostreaeformis (Curtis, 1843)
Aonidiella Berlese & Leonardi, 1895
aurantii (Maskell, 1878) *

ALEYRODOIDEA**ALEYRODIDAE**

- Trialeurodes* Cockerell, 1902
vaporariorum (Westwood, 1856) *
Aleurolobus Quaintance & Baker, 1914
wunni (Ryberg, 1938)
Asterobemisia Trehan, 1940
carpini (Koch, 1857)
Bemisia Quaintance & Baker, 1914
rosae (Korobitsin, 1967)
tabaci (Gennadius, 1889) *
Aleurotuberculatus Takahashi, 1938
similis Takahashi, 1938
ssp. europaeus Zahradnik, 1962
Calluneyrodes Zahradnik, 1962
callunae (Ossiannilsson, 1947)
Pealius Quaintance & Baker, 1914
quercus (Signoret, 1868)
Aleurochiton Tullgren, 1907
aceris (Modeer, 1778)
complanatus (Bärensprung, 1849)
aceris (Geoffroy, 1762), trinomen
Aleuroclava Singh, 1931
chittendeni (Laing, 1928)
Aleyrodes Latreille, 1796
campanulae Saalas, 1942
loniceriae Walker, 1852
fragariae Walker, 1852
rubi Signoret, 1868
menthae Haupt, 1934
proletella (Linnaeus, 1758)

APHIDOIDEA**ADELGIDAE****ADELGINAE**

- Adelges* Vallot, 1836
 sg. *Adelges* s. str.
lapponicus (Cholodkovsky, 1889)
laricis Vallot, 1836
tardus (Dreyfus, 1888)
 sg. *Sacciphantes* Curtis, 1844
abietis (Linnaeus, 1758)
viridis (Ratzeburg, 1843)
 sg. *Aphrastasia* Börner, 1909
pectinatae (Cholodkovsky, 1888)

sg. *Gilletteella* Börner, 1930
cooleyi (Gillette, 1907)

PINEINAE

Pineus Shimer, 1869
cembrae (Cholodkovsky, 1888)
pineoides (Cholodkovsky, 1907)
pini (Macquart, 1819)

PHYLLOXERIDAE

Acanthohermes Kollar, 1848
quercus Kollar, 1848
Phylloxera Boyer de Fonscolombe, 1834
coccinea (von Heyden, 1837)

APHIDIDAE

MINDARINAE

Mindarus Koch, 1857
abietinus Koch, 1857
obliquus (Cholodkovsky, 1896)

THELAXINAE

Thelaxes Westwood, 1840
dryophila (Schrank, 1801)
Glyphina Koch, 1856
betulae (Linnaeus, 1758)
jacutensis Mordvilko, 1931
schranskiana Börner, 1950
pseudoschranskiana Blackman, 1989

HORMAPHIDINAE

CERATAPHIDINI

Cerataphis Lichtenstein, 1882
orchidearum (Westwood, 1879) *

HORMAPHIDINI

Hamamelistes Shimer, 1867
betulinus (Horváth, 1896)
Hormaphis Osten-Sacken, 1861
betulae (Mordvilko, 1901)

ANOECIINAE

Anoecia Koch, 1857
corni (Fabricius, 1775)
nemoralis Börner, 1950
vagans (Koch, 1856)
zirnitsi Mordvilko, 1931

ERIOSOMATINAE

ERIOSOMATINI

Eriosoma Leach, 1818
ulmi (Linnaeus, 1758)
Colopha Monell, 1877
compressa (Koch, 1856)

Kaltenbachiella Schouteden, 1906
pallida (Haliday, 1838)
Tetraneura Hartig, 1841
ulmi (Linnaeus, 1758)

PEMPHIGINI

Pachypappa Koch, 1856
populi (Linnaeus, 1758)
tremulae (Linnaeus, 1761)
vesicalis Koch, 1856
warshavensis (Nasonov, 1894)
Gootiella Tullgren, 1925
tremulae Tullgren, 1925
Pachypappella Baker, 1920
lactea (Tullgren, 1909)
Prociphilus Koch, 1857
 sg. *Prociphilus* s. str.
bumeliae (Schrank, 1801)
 sg. *Stagona* Koch, 1857
pini (Burmeister, 1835)
xylostei (deGeer, 1773)
Thecabius Koch, 1857
 sg. *Thecabius* s. str.
affinis (Kaltenbach, 1843)
 sg. *Parathecabius* Börner, 1950
 **lysimachiae* Börner, 1916
Pemphigus Hartig, 1839
bursarius (Linnaeus, 1758)
borealis Tullgren, 1909
fuscicornis (Koch, 1857)
 **immunis* Buckton, 1896
 **paszeki* Börner, 1952
populi Courchet, 1879
populinigrae (Schrank, 1801)
saliciradicis (Börner, 1950)
spyrothecae Passerini, 1856

FORDINI

Baizongia Rondani, 1848
pistaciae (Linnaeus, 1767)
Geoica Hart, 1894
setulosa (Passerini, 1860)
utricularia (Passerini, 1856)
eragrostidis (Passerini, 1860)
Paracletus von Heyden, 1837
cimiciformis von Heyden, 1837
Forda von Heyden, 1837
formicaria von Heyden, 1837
marginata Koch, 1857
Smynthuroides Westwood, 1849
betae Westwood, 1849
Melaphis Walsh, 1867
 **rhois* (Fitch, 1866)

DREPANOSIPHINAE

Drepanosiphum Koch, 1855
platanoidis (Schrank, 1801)

MYZOCALLIDINAE**CALAPHIDINI**

Symydobius Mordvilko, 1894
oblongus (von Heyden, 1837)
Clethrobium Mordvilko, 1928
comes (Walker, 1848)
Euceraphis Walker, 1870
betulae (Koch, 1855)
punctipennis (Zetterstedt, 1828)
Callipterinella van der Goot, 1913
calliptera (Hartig, 1841)
minutissima (Stroyan, 1953)
tuberculata (von Heyden, 1837)
Calaphis Walsh, (1862) 1863
arctica Hille Ris Lambers, 1952
betulicola (Kaltenbach, 1843)
flava Mordvilko, 1928
Betulaphis Glendenning, 1926
brevipilosa Börner, 1940
pelei Hille Ris Lambers, 1952
quadrituberculata (Kaltenbach, 1843)
Monaphis Walker, 1870
antennata (Kaltenbach, 1843)

MYZOCALLIDINI

Myzocallis Passerini, 1860
 sg. *Myzocallis* s. str.
coryli (Goeze, 1778)
 sg. *Agrioaphis* Walker, 1870
myricae (Kaltenbach, 1843)
Tuberculatus Mordvilko, 1894
 sg. *Tuberculatus* s. str.
querceus (Kaltenbach, 1843)
 sg. *Tuberculoides* van der Goot, 1915
annulatus (Hartig, 1841)
Pterocallis Passerini, 1860
albidus Börner, 1940
alni (deGeer, 1773)
maculatus (von Heyden, 1837)
Tinocallis Matsumura, 1919
platani (Kaltenbach, 1843)
nevskyi Remaudière, Quednau & Heie, 1988
Eucallipterus Schouteden, 1906
tiliae (Linnaeus, 1758)
Therioaphis Walker, 1870
brachytricha Hille Ris Lambers & van den Bosch, 1964
luteola (Börner, 1949)
riehmi (Börner, 1949)
subalba Börner, 1949
tenera (Aizenberg, 1956)
trifolii (Monell, 1882)

PHYLLAPHIDINAE

Phyllaphis Koch, 1856
fagi (Linnaeus, 1767)

SALTUSAPHIDINAE

Thripsaphis Gillette, 1917
 sg. *Thripsaphis* s. str.
caespitosae Ossiannilsson, 1954
caricicola (Mordvilko, 1914)
 sg. *Trichocallis* Börner, 1930
cyperii (Walker, 1848)
producta Gillette, 1917
 caricis (Mordvilko, 1921)
verrucosa Gillette, 1917
 sg. *Larvaphis* Ossiannilsson, 1953
brevicornis (Ossiannilsson, 1953)
Subsaltusaphis Quednau, 1953
aquatilis (Ossiannilsson, 1959)
flava (Hille Ris Lambers, 1939)
lammersi (Quednau, 1954)
pallida (Hille Ris Lambers, 1939)
picta (Hille Ris Lambers, 1939)
rossneri (Börner, 1940)
Saltusaphis Theobald, 1915
lasiocarpae (Ossiannilsson, 1953)
Iziphya Nevsky, 1929
austriaca Börner, 1950
bufo (Walker, 1848)
Juncobia Quednau, 1954
leegei (Börner, 1940)

CHAITOPHORINI

Periphylus van der Hoeven, 1863
aceris (Linnaeus, 1761)
coracinus (Koch, 1854)
lyropictus (Kessler, 1886)
testudinaceus (Ferne, 1852)
Chaitophorus Koch, 1854
furcatus Quednau, 1987
lapponum Ossiannilsson, 1959
leucomelas Koch, 1854
nigricantis Pintera, 1987
populeti (Panzer, 1801)
populialbae (Boyer de Fonscolombe, 1841)
ramicola (Börner, 1949)
salicti (Schrank, 1801)
tremulae Koch, 1854

ATHEROIDINI

Laingia Theobald, 1922
psammae Theobald, 1922
Atheroides Haliday, 1839
hirtellus Haliday, 1839
serrulatus Haliday, 1839

Caricosipha Börner, 1939
**paniculatae* Börner, 1939
Sipha Passerini, 1860
 sg. ***Sipha*** s. str.
glyceriae (Kaltenbach, 1843)
littoralis (Walker, 1848)
 sg. ***Rungisia*** Mimeur, 1933
arenarii Mordvilko, 1921
elegans del Guercio, 1905
maydis Passerini, 1860
Chaetosiphella Hille Ris Lambers, 1939
berlesei (del Guercio, 1905)

APHIDINAE

APHIDINI

Aphis Linnaeus, 1758
 sg. ***Aphis*** s. str.
acetosae Linnaeus, 1761
astragali Ossiannilsson, 1959
brohmeri Börner, 1952
brunellae Schouteden, 1903
chloris Koch, 1854
comari Prior & Stroyan, 1977
confusa Walker, 1849
coronillae Ferrari, 1872
craccae Linnaeus, 1758
craccivora Koch, 1854
?cytisorum Hartig, 1841
 ssp. *sarothamni* Franssen, 1928
etiolata Stroyan, 1952
euphorbiae Kaltenbach, 1843
fabae Scopoli, 1763
 ssp. *fabae* Scopoli, 1763
 ssp. *cirsiiacanthoidis* Scopoli, 1763
farinosa Gmelin, 1790
frangulae Kaltenbach, 1845
 ssp. *frangulae* Kaltenbach, 1845
 ssp. *beccabungae* Koch, 1855
galiiscabri Schrank, 1801
?genistae Scopoli, 1763
gossypii Glover, 1877*
hieracii Schrank, 1801
idaei van der Goot, 1912
janischi (Börner, 1940)
klimeschi (Börner, 1950)
korshunovi Ivanovskaja, 1971
 pseudolysimachiae Heikinheimo, 1978
leontodontis (Börner, 1950)
longirostrata Hille Ris Lambers, 1966
loti Kaltenbach, 1862
lotiradicis Stroyan, 1972
mammulata Ghimingham & Hille Ris
 Lambers, 1949
mirifica (Börner, 1950)
molluginis (Börner, 1950)
nasturtii Kaltenbach, 1843
nepetae Kaltenbach, 1843
newtoni Theobald, 1927
pilosellae (Börner, 1952)
plantaginis Goeze, 1778
podagrariae Schrank, 1801
polygonata (Nevsky, 1929)
pomi deGeer, 1773
**praeterita* Walker, 1849
pseudocomosa Stroyan, 1972
ruborum (Börner, 1932)
rumicivora Heie, 1986
rumicis Linnaeus, 1758
salicariae Koch, 1855
sambuci Linnaeus, 1758
sanguisorbae Schrank, 1801
sedii Kaltenbach, 1843
selini (Börner, 1940)
serpylli Koch, 1854
spiraephaga Müller, 1961
subnitida (Börner, 1940)
taraxacicola (Börner, 1940)
thalictri (Koch, 1854)
tormentillae Passerini, 1879
triglochinis Theobald, 1926
tripolii Laing, 1920
ulmariae Schrank, 1801
umbrella (Börner, 1950)
urticata Gmelin, 1790
uvaeursi Ossiannilsson, 1959
vaccinii (Börner, 1940)
viburni Scopoli, 1763
violae Schouteden, 1900
 sg. ***Bursaphis*** McVicar Baker, 1934
epilobiararia Theobald, 1927
epilobii Kaltenbach, 1843
grossulariae Kaltenbach, 1843
schneideri (Börner, 1940)
 sg. ***Protaphis*** Börner, 1952
erigerontis Holman, 1966
 sg. ***Toxoptera*** Börner, 1940
vandergooti (Börner, 1939)
Cryptosiphum Buckton, (1875) 1879
artemisiae Buckton, 1879
Hyalopterus Koch, 1854
pruni (Geoffroy, 1762)
Rhopalosiphum Koch, 1854
insertum (Walker, 1849)
maidis (Fitch, 1856)
nymphaeae (Linnaeus, 1761)
padi (Linnaeus, 1758)
rufiabdominale (Sasaki, 1899)*
Melanaphis van der Goot, 1917
elizabethae (Ossiannilsson, 1967)
luzulella (Hille Ris Lambers, 1947)

Schizaphis Börner, 1931
 sg. **Schizaphis** s. str.
agrostis Hille Ris Lambers, 1947
borealis Tambs-Lyche, 1959
dubia Huculak, 1968
jaroslavi (Mordvilko, 1921)
longicaudata Hille Ris Lambers, 1939
nigerrima (Hille Ris Lambers, 1931)
phlei Orlob, 1961
 arrhenatheri Pettersson, 1971
pilipes (Ossiannilsson, 1959)
rufula (Walker, 1849)
thunebergi Heie, 1986
 sg. **Paraschizaphis** Hille Ris Lambers, 1947
caricis (Schouteden, 1906)
scirpi (Passerini, 1874)

MACROSIPHINI

Pterocomma Buckton, 1879
jacksoni Theobald, 1921
konoii Hori, 1939
populeum (Kaltenbach, 1843)
rufipes (Hartig, 1841)
salicis (Linnaeus, 1758)
tremulae Börner, 1940
Plocamaphis Oestlund, 1922
amerinae (Hartig, 1841)
flocculosa (Weed, 1891)
Anuraphis del Guercio, 1907
farfarae (Koch, 1854)
subterranea (Walker, 1852)
Nearctaphis Shaposhnikov, 1950
vera (Shaposhnikov, 1964)
Brachycaudus van der Goot, 1913
 sg. **Brachycaudus** s. str.
helichrysi (Kaltenbach, 1843)
spiraeae Börner, 1932
 sg. **Acaudus** van der Goot, 1913
aconiti (Mordvilko, 1928)
cardui (Linnaeus, 1758)
klugkisti (Börner, 1942)
linariae Stroyan, 1950
lychnidis (Linnaeus, 1758)
napelli (Schränk, 1801)
persicae (Passerini, 1860)
populi (del Guercio, 1911)
 sg. **Appelia** Börner, 1930
tragopogonis (Kaltenbach, 1843)
 sg. **Thuleaphis** Hille Ris Lambers, 1960
rumexicolens (Patch, 1917)
Dysaphis Börner, 1931
 sg. **Dysaphis** Börner, 1931
aizenbergi (Shaposhnikov, 1949)
anthrisci Börner, 1950
centaureae (Börner, 1950)

hirsutissima (Börner, 1940)
newskeyi (Börner, 1940)
ossiannilssoni Stroyan, 1961
ranunculi (Kaltenbach, 1843)
tulipae (Boyer de Fonscolombe, 1841) *
 sg. **Pomaphis** Börner, 1939
maritima (Hille Ris Lambers, 1955)
plantaginea (Passerini, 1860)
sorbi (Kaltenbach, 1843)
Ceruraphis Börner, 1926
eriphori (Walker, 1848)
Hayhurstia del Guercio, 1917 nec Mordvilko, 1921
atriplicis (Linnaeus, 1761)
Brachycolus Buckton, 1879
cucubali (Passerini, 1863)
stellariae (Hardy, 1850)
Diuraphis Aizenberg, 1935
 sg. **Diuraphis** s. str.
muehlei (Börner, 1950)
 sg. **Holcaphis** Hille Ris Lambers, 1939
calamagrostis (Ossiannilsson, 1959)
frequens (Walker, 1848)
Brevicoryne van der Goot, 1915
brassicae (Linnaeus, 1758)
Lipaphis Mordvilko, 1928
alliariae Müller, 1952
erysimi (Kaltenbach, 1843)
rossi Börner, 1939
 ssp. *conringiae* Bozhko, 1961
turritella (Wahlgren, 1938)
Hyadaphis Kirkaldy, 1904
coriandri (Das, 1918)
foeniculi (Passerini, 1860)
passerinii (del Guercio, 1911)
polonica Szelegiewicz, 1959
Semiaphis van der Goot, 1913
anthrisci (Kaltenbach, 1843)
nolitangere Aizenberg, 1954
pimpinellae (Kaltenbach, 1843)
sphondylii (Koch, 1854)
Hydaphias Börner, 1930
hofmanni Börner, 1950
mosana Hille Ris Lambers, 1956
Staegeriella Hille Ris Lambers, 1947
necopinata (Börner, 1939)
Aspidaphis Gillette, 1917
adjuvans (Walker, 1848)
Coloradoa Wilson, 1910
abrotani (Koch, 1854)
absinthii (Lichtenstein, 1885)
achilleae Hille Ris Lambers, 1939
artemisiae (del Guercio, 1913)
campestrella Ossiannilsson, 1959
inodorella Ossiannilsson, 1959
rufomaculata (Wilson, 1908) *

- tanacetina* (Walker, 1850)
Longicaudus van der Goot, 1913
trirhodus (Walker, 1849)
Myzaphis van der Goot, 1913
rosarum (Kaltenbach, 1843)
Ericaphis Börner, 1939
latifrons (Börner, 1942)
Elatobium Mordvilko, 1914
abietinum (Walker, 1849)
Liosomaphis Walker, 1868
berberidis (Kaltenbach, 1843)
Cavariella del Guercio, 1911
 sg. **Cavariella** s. str.
aegopodii (Scopoli, 1763)
archangelicae (Scopoli, 1763)
cicutae (Koch, 1854)
 rutila Mamontova-Solukha, 1961
intermedia Hille Ris Lambers, 1969
konoii Takahashi, 1939
pastinacae (Linnaeus, 1758)
theobaldi (Gillette & Bragg, 1918)
 sg. **Cavariella** Heinze, 1960
aquatica (Gillette & Bragg, 1916)
Ossiannilsson Hille Ris Lambers, 1952
oelandica Hille Ris Lambers, 1952
Vesiculaphis del Guercio, 1911
theobaldi Takahashi, 1930
Trichosiphonaphis Takahashi, 1922
corticis (Aizenberg, 1935)
Muscaphis Börner, 1933
 sg. **Aspidaphium** Börner, 1939
cuspidata (Stroyan, 1955)
 **escherichi* (Börner, 1939)
 sg. **Muscaphis** s. str.
drepanosiphoides (Börner, 1939)
Pseudacaudella Börner, 1950
rubida (Börner, 1939)
Myzodium Börner, 1949
modestum (Hottes, 1926)
Decorosiphon Börner, 1939
corynothrix Börner, 1939
Ovatus van der Goot, 1913
crataegarius (Walker, 1850)
Phorodon Passerini, 1860
humuli (Schrank, 1801)
Myzus Passerini, 1860
 sg. **Myzus** s. str.
alectorolophi Heinze, 1961
borealis Ossiannilsson, 1959
cerasi (F, 1775)
lythri (Schrank, 1801)
ornatus Laing, 1932*
padellus Hille Ris Lambers & Rogerson, 1946
 sg. **Galiobium** Börner, 1933
langei (Börner, 1933)
 sg. **Nectarosiphon** Schouteden, 1901
ascalonicus Doncaster, 1946*
certus (Walker, 1849)
 **myosotidis* (Börner, 1950)
nicotianae Blackman, 1987
persicae (Sulzer, 1776)
Tubaphis Hille Ris Lambers, 1947
ranunculina (Walker, 1852)
Rhopalomyzus Mordvilko, 1921
 sg. **Rhopalomyzus** s. str.
poae (Gillette, 1908)
 sg. **Judenkoa** Hille Ris Lambers, 1946
lonicerae (Siebold, 1839)
Rhopalosiphoninus Baker, 1920
 sg. **Rhopalosiphoninus** s. str.
ribesinus (van der Goot, 1912)
 sg. **Myzosiphon** Hille Ris Lambers, 1946
staphyleae (Koch, 1854)*
 ssp. *tulipaellus* (Theobald, 1916)
 sg. **Pseudorhopalosiphoninus** Heinze, 1961
calthae (Koch, 1854)
 sg. **Submegoura** Hille Ris Lambers, 1953
heikinheimoi (Börner, 1952)
Nasonovia Mordvilko, 1914
 sg. **Nasonovia** s. str.
compositellae Theobald, 1924
 ssp. *nigra* (Hille Ris Lambers, 1931)
pilosellae (Börner, 1933)
ribisnigri (Mosley, 1841)
 sg. **Kakimia** Gillette & Palmer, 1928
vannesii Stenseth, 1968
 sg. **Ranakimia** Heie, 1979
altaensis Stenseth, 1969
Hyperomyzus Börner, 1933
 sg. **Hyperomyzus** s. str.
lactucae (Linnaeus, 1758)
lampsanae (Börner, 1932)
pallidus Hille Ris Lambers, 1935
 sg. **Hyperomyzella** Hille Ris Lambers, 1949
rhinanthi (Schouteden, 1903)
 sg. **Neonasonovia** Hille Ris Lambers, 1949
zirnitsi Hille Ris Lambers, 1952
Impatientinum Mordvilko, 1914
asiaticum Nevsky, 1929
balsamines (Kaltenbach, 1862)
Hyalopteroides Theobald, 1916
humilis (Walker, 1852)
Chaetosiphon Mordvilko, 1914
potentillae (Walker, 1850)
tetrarhodum (Walker, 1849)
Cryptomyzus Oestlund, 1922
 sg. **Cryptomyzus** s. str.
galeopsidis (Kaltenbach, 1843)
korschelti Börner, 1938
ribis (Linnaeus, 1758)

- sg. *Ampullosiphon* Heikinheimo, 1955
stachydis (Heikinheimo, 1955)
Capitophorus van der Goot, 1913
carduinus (Walker, 1850)
hippophaes (Walker, 1852)
horni Börner, 1931
pakansus Hottes & Frison, 1931
similis van der Goot, 1915
Pleotrichophorus Börner, 1930
duponti Hille Ris Lambers, 1935
glandulosus (Kaltenbach, 1846)
persimilis Börner, 1950
Cryptaphis Hille Ris Lambers, 1947
poae (Hardy, 1850)
Acyrthosiphon Mordvilko, 1914
sg. *Acyrthosiphon* s. str.
auctum (Walker, 1849)
boreale Hille Ris Lambers, 1952
brachysiphon Hille Ris Lambers, 1952
caraganae (Cholodkovsky, 1908)
ignotum Mordvilko, 1914
knechteli (Börner, 1950)
malvae (Mosley, 1841)
pisum (Harris, 1776)
sg. *Liporrhinus* Börner, 1939
chelidonii (Kaltenbach, 1843)
Microlophium Mordvilko, 1914
carnosum (Buckton, 1876)
Anthracosiphon Hille Ris Lambers, 1947
hertae Hille Ris Lambers, 1947
Subacyrthosiphon Hille Ris Lambers, 1947
cryptobium Hille Ris Lambers, 1947
Linosophon Börner, 1950
galiophagum (Wimshurst, 1923)
Aulacorthum Mordvilko, 1914
**aegopodii* Börner, 1939
cylactis Börner, 1942
flavum Müller, 1958
solani (Kaltenbach, 1843)
speyeri Börner, 1939
vaccinii Hille Ris Lambers, 1952
Neomyzus van der Goot, 1915
circumflexus (Buckton, 1876)*?
Rhodobium Hille Ris Lambers, 1947
porosum (Sanderson, 1900)*
Metopolophium Mordvilko, 1914
dirhodum (Walker, 1849)
festucae (Theobald, 1917)
tenerum Hille Ris Lambers, 1947
Sitobion Mordvilko, 1914
sg. *Sitobion* s. str.
avenae (Fabricius, 1775)
fragariae (Walker, 1848)
paludum Müller, 1982
- sg. **Metobion** Heikinheimo, 1990
brevirostre (Heikinheimo, 1978)
graminearum (Mordvilko, 1919)
Macrosiphum Passerini, 1860
cholodkovskyi (Mordvilko, 1909)
daphnidis Börner, 1950
dryopteridis (Holman, 1959)
equiseti (Holman, 1961)
euphorbiae (Thomas, 1878)
gei (Koch, 1855)
hellebori Theobald & Walton, 1923*
lisae Heie, 1965
melampyri Mordvilko, 1919
nasonovi Mordvilko, 1918
rosae (Linnaeus, 1758)
rubiarctici Heikinheimo, 1946
tinctum (Walker, 1849)
trollii Börner, 1950
weberi Börner, 1933
Corylobium Mordvilko, 1914
avellanae (Schrank, 1801)
Illinoia Wilson, 1910
azaleae (Mason, 1925)*
Delphiniobum Mordvilko, 1914
junackianum (Karsch, 1887)
Macrosiphoniella del Guercio, 1911
sg. *Macrosiphoniella* s. str.
abrotani (Walker, 1852)
absinthii (Linnaeus, 1758)
artemisiae (Boyer de Fonscolombe, 1841)
dimidiata Börner, 1942
millefolii (deGeer, 1773)
sanborni (Gillette, 1908)*
sejuncta (Walker, 1848)
tanacetaria (Kaltenbach, 1843)
tapuskae (Hottes & Frison, 1931)
usquertensis Hille Ris Lambers, 1935
sg. **Asterobium** Hille Ris Lambers, 1938
asteris (Walker, 1849)
sg. **Phalangomyzus** Börner, 1939
oblonga (Mordvilko, 1901)
persequens (Walker, 1852)
Titanosiphon Nevsky, 1928
artemisiae (Koch, 1855)
Uroleucon Mordvilko, 1914
sg. *Uroleucon* s. str.
achilleae (Koch, 1855)
cichorii (Koch, 1855)
cirsii (Linnaeus, 1758)
cf. *grossum* (Hille Ris Lambers, 1939)
hypochoeridis (Fabricius, 1779)
inulicola (Hille Ris Lambers, 1939)
jaceicola (Hille Ris Lambers, 1939)
cf. *leontodontis* (Hille Ris Lambers, 1939)

murale (Buckton, 1876)
obscurum (Koch, 1855)
pilosellae (Börner, 1933)
sonchi (Linnaeus, 1767)
tanaceti (Linnaeus, 1758)
tussilaginis (Walker, 1850)
 sg. **Uromelan** Mordvilko, 1914
aeneum (Hille Ris Lambers, 1939)
campanulae (Kaltenbach, 1843)
jaceae (Linnaeus, 1758)
nigrocampanulae (Theobald, 1928)
rapunculoidis (Börner, 1939)
riparium (Stroyan, 1955)
simile (Hille Ris Lambers, 1935)
solidaginis (Fabricius, 1779)
taraxaci (Kaltenbach, 1843)
 sg. **Lambersius** Olive, 1965
erigeronense (Thomas, 1878)
Metopeurum Mordvilko, 1914
fuscoviride Stroyan, 1950
Amphorophora Buckton, 1876
 sg. **Amphorophora** s. str.
ampullata Buckton, 1876
gei (Börner, 1939)
idaei (Börner, 1939)
rubi (Kaltenbach, 1843)
 sg. **Galiaphis** Ossiannilsson, 1954
annae (Ossiannilsson, 1954)
Megoura Buckton, 1876
litoralis Müller, 1952
viciae Buckton, 1876
Megourella Hille Ris Lambers, 1949
purpurea Hille Ris Lambers, 1949
tribulis (Walker, 1849)
Wahlgreniella Hille Ris Lambers, 1949
ossiannilssoni Hille Ris Lambers, 1949
vaccinii (Theobald, 1924)
Neoamphorophora Mason, 1924
ledi (Wahlgren, 1938)

LACHNINAE

LACHNINI

Lachnus Burmeister, 1835
roboris (Linnaeus, 1758)
Tuberolachnus Mordvilko, 1909
salignus (Gmelin, 1790)
Maculolachnus Gaumont, 1920
submacula (Walker, 1848)

STOMAPHIDINI

Stomaphis Walker, 1870
**quercus* (Linnaeus, 1758)

TRAMINI

Protrama Baker, 1920
flavescens (Koch, 1856)
ranunculi (del Guercio, 1909)
Trama von Heyden, 1837
 sg. **Trama** von Heyden, 1837
centaureae Börner, 1940
rara Mordvilko, 1908
troglydites von Heyden, 1837
 sg. **Neotrama** Baker, 1920
cf caudata del Guercio, 1909

CINARINI

Eulachnus del Guercio, 1909
agilis (Kaltenbach, 1843)
brevipilosus Börner, 1940
rileyi (Williams, 1911)
Schizolachnus Mordvilko, 1909
pineti (Fabricius, 1781)
Cinara Curtis, 1835
 sg. **Cinara** s. str.
confinis (Koch, 1856)
costata (Zetterstedt, 1828)
cuneomaculata (del Guercio, 1909)
hyperophila (Koch, 1855)
laricis (Hartig, 1839)
**nigritergi* Mamontova, 2000
nuda Mordvilko, 1895
piceae (Panzer, 1801)
piceicola (Cholodkovsky, 1896)
viridescens (Cholodkovsky, 1896)
pilicornis (Hartig, 1841)
pilosa (Zetterstedt, 1840)
maculata Gavrilo, 1972
pineae (Mordvilko, 1895)
pini (Linnaeus, 1758)
pinihabitans (Mordvilko, 1895)
piniphila (Ratzeburg, 1844)
pruinosa (Hartig, 1841)
 sg. **Cupressobium** Börner, 1940
cupressi (Buckton, 1881)
juniperi (deGeer, 1773)
smolandiae Danielsson & Carter, 1993

PSYLLOIDEA

LIVIIDAE

Livia Latreille, 1805
 sg. **Livia** s. str.
junci Schrank, 1789
juncorum (Latreille, 1798) auct.
 sg. **Diraphia** Waga, 1842
crefeldensis (Mink, 1855)

APHALARIDAE***Strophingia*** Enderlein, 1914*ericae* (Curtis, 1835)***Rhinocola*** Förster, 1848*aceris* (Linnaeus, 1758)***Aphalara*** Förster, 1848*affinis* (Zetterstedt, 1828)*avicularis* Ossiannilsson, 1981*borealis* Heslop-Harrison, 1949*calthae* (Linnaeus, 1761)*crispicola* Ossiannilsson, 1987*pauli* Loginova, partim*exilis* (Weber & Mohr, 1804)*freji* Burckhardt & Lauterer, 1997*polygoni* auct. nec Förster, 1848*longicaudata* W. Wagner & Franz, 1961*maculipennis* Löw, 1887*polygoni* Förster, 1848*rumicicola* Klimaszewski, 1966*ulicis* Förster, 1848*pauli* Loginova, partim***Craspedolepta*** Enderlein, 1921sg. ***Craspedolepta*** s. str.*latior* W. Wagner, 1944*malachitica* (Dahlbom, 1851)*pilosa* (Oshanin, 1870)*campestrella* auct. nec Ossiannilsson, 1987sg. ***Magnaphalara*** Ramirez-Gomez, 1960*nebulosa* (Zetterstedt, 1828)*nervosa* (Förster, 1848)*sonchi* (Förster, 1848)***Neocraspedolepta*** Conci & Tamanini, 1986*subpunctata* (Förster, 1848)***Camarotoscena*** Haupt, 1935*speciosa* (Flor, 1861)**PSYLLIDAE*****Psyllopsis*** Löw, 1879*discrepans* (Flor, 1861)*fraxini* (Linnaeus, 1758)*fraxinicola* (Förster, 1848)***Psylla*** Geoffroy, 1762*alni* (Linnaeus, 1758)*betulae* (Linnaeus, 1758)*betulaenanae* Ossiannilsson, 1970*fusca* (Zetterstedt, 1828)***Asphagidella*** Enderlein, 1921*buxi* (Linnaeus, 1758)***Baeopelma*** Enderlein, 1926*foersteri* (Flor, 1861)***Chamaepsylla*** Ossiannilsson, 1970*hartigii* (Flor, 1861)***Cacopsylla*** Ossiannilsson, 1970sg. ***Cacopsylla*** s. str.*mali* (Schmidberger, 1836)*peregrina* (Förster, 1848)*sorbi* (Linnaeus, 1767)*ulmi* (Förster, 1848)sg. ***Thamnopsylla*** Loginova, 1978*affinis* (Löw, 1980)*melanoneura* (Förster, 1848)*picta* (Förster, 1848)*costalis* (Flor, 1861)*pruni* (Scopoli, 1763)*pyricola* (Förster, 1848)*pyrisuga* (Förster, 1848)*rhamnicola* (Scott, 1876)sg. ***Hepatopsylla*** Ossiannilsson, 1970*abdominalis* (Meyer-Dür, 1871)*ambigua* (Förster, 1848)*brunneipennis* (Edwards, 1896)*klapaleki* Sulc, 1909*corcontum* (Sulc, 1910)*elegantula* (Zetterstedt, 1838)*hippophaes* (Förster, 1848)*ledi* (Flor, 1861)*moscovita* (Andrianova, 1948)*schaeferi* (Vondrakcek, 1959)*myrtilli* (W. Wagner, 1947)*nigrita* (Zetterstedt, 1828)*palmeni* (Löw, 1878)*parvipennis* (Löw, 1877)*propinqua* (Schäfer, 1949)*pulchra* (Zetterstedt, 1838)*pyri* (Linnaeus, 1758)*rhododendri* (Puton, 1871)*zaicevi* (Sulc, 1915)*sootryeni* (Ossiannilsson, 1942)*zetterstedti* (Thomson, 1878)**TRIOZIDAE*****Bactericera*** Puton, 1876*acutipennis* (Zetterstedt, 1828)*albiventris* (Förster, 1848)*bohemica* (Sulc, 1913)*calcarata* (Schäfer, 1949)*curvatinervis* (Förster, 1848)*femoralis* (Förster, 1848)*nigricornis* (Förster, 1848)*parastricola* Conci, Ossiannilsson & Tamanini, 1988*reuteri* (Sulc, 1913)*salicivora* (Reuter, 1876)*striola* (Flor, 1861)*substriola* Ossiannilsson, 1992***Trioza*** Förster, 1848*abdominalis* Flor, 1861*agrophila* Löw, 1888*alacris* Flor, 1861 **anthrisci* Burckhardt, 1986

apicalis Förster, 1848
cerastii (Linnaeus, 1758)
chenopodii Reuter, 1876
 obliqua Thomson, 1877
chrysanthemi Löw, 1878
cirsii Löw, 1881
dispar Löw, 1878
flavipennis Förster, 1848
galii Förster, 1848
remota Förster, 1848
rhamni (Schrank, 1801)
rotundata Flor, 1861
**tatrensis* Klimaszewski, 1965
urticae (Linnaeus, 1758)
viridula (Zetterstedt, 1828)

FULGOROMORPHA

CIXIIDAE

Cixius Latreille, 1804
 sg. *Cixius* s. str.
nervosus (Linnaeus, 1758)
 sg. *Ceratocixius* W. Wagner, 1939
cunicularius (Linnaeus, 1758)
 sg. *Paracixius* W. Wagner, 1939
distinguendus Kirschbaum, 1868
 sg. *Acanthocixius* W. Wagner, 1939
cambricus China, 1935
similis Kirschbaum, 1868
Pentastiridius Kirschbaum, 1868
leporinus (Linnaeus, 1761)

DELPHACIDAE

KELISIINAE

Kelisia Fieber, 1866
confusa (Linnavuori, 1957)
guttula (Germar, 1818)
monoceros Ribaut, 1934
pallidula (Boheman, 1847)
praecox Haupt, 1935
ribauti W. Wagner, 1938
sabulicola W. Wagner, 1952
vittipennis (J. Sahlberg, 1868)
Anakelisia W. Wagner, 1963
perspicillata (Boheman, 1845)

STENOCRANINAE

Stenocranus Fieber, 1866
fuscovittatus (Stål, 1858)
major (Kirschbaum, 1868)
minutus (Fabricius, 1787)

DELPHACINAE

Delphacinus Fieber, 1866
mesomelas (Boheman, 1849)
Eurysula Vilbaste, 1968
lurida (Fieber, 1866)

laevifrons J. Sahlberg, 1871
Eurybregma Scott, 1875
**nigrolineata* (Scott, 1875)
porcus (Emeljanov, 1964)
Stiroma Fieber, 1866
affinis Fieber, 1866
bicarinata (Herrich-Schäffer, 1835)
Stiromoides Vilbaste, 1971
maculiceps (Horváth, 1903)
Achorotile Fieber, 1866
albosignata (Dahlbom, 1845)
longicornis (J. Sahlberg, 1871)
Euconomelus Haupt, 1929
lepidus (Boheman, 1847)
Conomelus Fieber, 1866
anceps (Germar, 1821)
Delphax Fabricius, 1798
crassicornis (Panzer, 1796)
pulchellus (Curtis, 1833)
 minki auct. nec Fieber, 1866
Euides Fieber, 1866
basilinea (Germar, 1821)
 speciosa Boheman, 1852
Chloriona Fieber, 1866
chinai Ossiannilsson, 1946
 prasinula auct. nec Fieber, 1872
glaucescens Fieber, 1866
 unicolor auct. nec Herrich-Schäffer, 1835
smaragdula (Stål, 1853)
 smaragdula J. Sahlberg, 1871
**stenoptera* (Flor, 1861)
**vasconica* Ribaut, 1931
Megamelus Fieber, 1866
notula (Germar, 1830)
 brevifrons Reuter, 1880
Unkanodes Fennah, 1963
excisa (Melichar, 1898)
Megadelphax W. Wagner, 1963
sordidula (Stål, 1853)
Ditropsis W. Wagner, 1963
flavipes (Signoret, 1865) ^(unpubl.)
Laodelphax Fennah, 1963
striatella (Fallén, 1826)
Paraliburnia Jensen-Haarup, 1917
adela (Flor, 1861)
clypealis (J. Sahlberg, 1871)
Hyledelphax Vilbaste, 1968
elegantula (Boheman, 1847)
Calligypona J. Sahlberg, 1871
reyi (Fieber, 1866)
 albicollis J. Sahlberg, 1871
Delphacodes Fieber, 1866
capnodes (Scott, 1870)
venosus (Germar, 1830)
 curtula (J. Sahlberg, 1871)

Gravesteiniella W. Wagner, 1963
boldi (Scott, 1870)
Muellerianella W. Wagner, 1963
brevipennis (Boheman, 1847)
extrusa (Scott, 1871)
fairmairei (Perris, 1857)
Muirodelphax W. Wagner, 1963
aubei (Perris, 1857)
obsoleta (J. Sahlberg, 1871)
Acanthodelphax LeQuesne, 1964
denticauda ((Boheman, 1847)
spinosa ((Fieber, 1866)
Nothodelphax Fennah, 1963
Tyrphodelphax W. Wagner, 1963
albocarinata (Stål, 1858)
distincta (Flor, 1861)
Dicranotropis Fieber, 1866
hamata (Boheman, 1847)
Florodelphax Vilbaste, 1971
leptosoma (Flor, 1829) ^(unpubl.)
paryphasma (Flor, 1861)
lucticolor (J. Sahlberg, 1871)
Kosswigianella W. Wagner, 1963
exigua (Boheman, 1847)
Struebingianella W. Wagner, 1963
lugubrina (Boheman, 1847)
Xanthodelphax W. Wagner, 1963
flaveola (Flor, 1861)
straminea (Stål, 1858)
xantha Vilbaste, 1965
Paradelphacodes W. Wagner, 1963
litoralis (Reuter, 1880)
paludosua (Flor, 1861)
Oncodelphax W. Wagner, 1963
pullula (Boheman, 1852)
Criomorphus Curtis, 1833
albomarginatus (Curtis, 1833)
borealis (J. Sahlberg, 1871)
moestus (Boheman, 1847)
Javesella Fennah, 1963
 sg. **Javesella** s. str.
alpina (J. Sahlberg, 1871)
bottnica Huldén, 1974
discolor (Boheman, 1847)
dubia (Kirschbaum, 1868)
pargasensis (Reuter, 1880)
forcipata (Boheman, 1847)
obscurilla (Boheman, 1847)
pellucida (Fabricius, 1794)
?marginata (Fabricius, 1794)
simillima (Linnavuori, 1948)
nitidipennis auct. nec (Kirschbaum, 1856),
 partim

sg. **Haffnerianella** W. Wagner, 1963
stali (Metcalf, 1943)
Ribautodelphax W. Wagner, 1963
albostrata (Fieber, 1866)
angulosa (Ribaut, 1953)
collina (Boheman, 1847)
pallens (Stål, 1854)
vinealis Bieman, 1987
ACHILIDAE
Cixidia Fieber, 1866
confinis (Zetterstedt, 1838)
lapponica (Zetterstedt, 1838)
CALISCELIDAE
Ommatidiotus Spinola, 1839
dissimilis (Fallén, 1806)
inconspicuus Stål, 1863
CICADOMORPHA
TIBICINIDAE
Cicadetta Kolenati, 1857
montana (Scopoli, 1772)
APHROPHORIDAE
Aphrophora Germar, 1821
alni (Fallén, 1805)
pectoralis Matsumura, 1903
forneri Haupt, 1919
salicina auct. nec (Goeze, 1778)
costalis Matsumura, 1903
salicina (Goeze, 1778) ^(unpubl.)
Lepyronia Amyot & Serville, 1843
coleoptrata (Linnaeus, 1758)
Neophilaenus Haupt, 1935
exclamationis (Thunberg, 1784)
dilutus (J. Sahlberg, 1871)
lineatus (Linnaeus, 1758)
aterrimus (J. Sahlberg, 1871)
pulchellus (J. Sahlberg, 1871)
minor (Kirschbaum, 1868)
**pallidus* Haupt, 1917
Peuceptyelus J. Sahlberg, 1871
coriaceus (Fallén, 1826)
Philaenus Stål, 1864
spumarius (Linnaeus, 1758)
MEMBRACIDAE
Centrotus Fabricius, 1803
cornutus (Linnaeus, 1758)
ULOPIDAE
Ulopa Fallén, 1814
reticulata (Fabricius, 1794)

CICADELLIDAE**MEGOPHTHALMINAE***Megophthalmus* Curtis, 1833*scanicus* (Fallén, 1806)**MACROPSINAE***Oncopsis* Burmeister, 1838*alni* (Schrank, 1801)*appendiculata* W. Wagner, 1944*avellanae* Edwards, 1920*flavicollis* (Linnaeus, 1761)*planiscuta* (Thomson, 1870)*subangulata* (J. Sahlberg, 1871)*fortior* W. Wagner, 1944*tristis* (Zetterstedt, 1838)*Pediopsis* Burmeister, 1838*tiliae* (Germar, 1831)*Macropsis* Lewis, 1834*cerea* (Germar, 1837)*haupti* auct. nec W. Wagner, 1941*flavida* Vilbaste, 1980 (unpubl.)*fuscinervis* (Boheman, 1845)*fuscata* (Zetterstedt, 1828)*gravesteini* W. Wagner, 1953 (unpubl.)*impura* (Boheman, 1847)*infuscata* (J. Sahlberg, 1871)*cerea* auct. nec Germar, 1837**notata* (Prohaska, 1923)**ocellata* Provancher, 1872*albae* Wagner, 1950**remanei* Nickel, 1999*scutellata* (Boheman, 1845)*Macropsidius* Ribaut, 1952*sahlbergi* (Flor, 1861)*Hephathus* Ribaut, 1952*achilleae* Mityaev, 1967*nanus* auct. nec (Herrich-Schäffer, 1835)**AGALLIINAE***Agallia* Curtis, 1833*brachyptera* (Boheman, 1847)*Anaceratagallia* Zachvatkin, 1946*estonica* Vilbaste, 1961*lithuanica* Vilbaste, 1974*ribauti* Ossiannilsson, 1938*venosa* (Fourcroy, 1785)**IDIOCERINAE***Idiocerus* Lewis, 1834*herrichii* Kirschbaum, 1868*lituratus* (Fallén, 1806)*stigmatalis* Lewis, 1834*Acericerus* Dlabola, 1974*heydenii* (Kirschbaum, 1868)*Metidiocerus* Ossiannilsson, 1981*crassipes* (J. Sahlberg, 1871) (unpubl.)*elegans* (Flor, 1861)*Populicerus* Dlabola, 1974*albicans* (Kirschbaum, 1868)*confusus* (Flor, 1861)*laminatus* (Flor, 1861)*nitidissimus* (Herrich-Schäffer, 1835)*fulgidus* auct. nec (Fabricius, 1775)*populi* (Linnaeus, 1761)*Tremulicerus* Dlabola, 1974*distinguendus* (Kirschbaum, 1868)*tremulae* (Estlund, 1796)*Stenidiocerus* Ossiannilsson, 1981*poecilus* (Herrich-Schäffer, 1835)*Sahlbergotettix* Zachvatkin, 1953*salicicola* (Flor, 1861)**IASSINAE***Iassus* Fabricius, 1803*lanio* (Linnaeus, 1761)*Batracomorphus* Lewis, 1834*allionii* (Turton, 1802)*prasina* (Fabricius, 1794) nec (Pallas, 1773)**DORYCEPHALINAE***Eupelix* Germar, 1821*cuspidata* (Fabricius, 1775)**APHRODINAE***Aphrodes* Curtis, 1829*bicincta* (Schrank, 1776) sensu Tishechkin 1999*makarovi* Zachvatkin, 1948 sensu Ossiannilsson, 1981, partim*diminuta* Ribaut, 1952 sensu Tischechkin 1999*bicincta* (Schrank, 1776) sensu Ossiannilsson 1981, partim*centrorossica* Zachvatkin, 1953*makarovi* Zachvatkin, 1948*Planaphrodes* Hamilton, 1975*bifasciata* (Linnaeus, 1758)*trifasciata* (Fourcroy, 1785)*laeva* (Rey, 1891)*nigrita* (Kirschbaum, 1868)*Anoscopus* Kirschbaum, 1858*albifrons* (Linnaeus, 1758)*histrionicus* (Fabricius, 1794)*flavostriatus* (Donovan, 1799)*Stroggylocephalus* Flor, 1861*agrestis* (Fallén, 1806)*livens* (Zetterstedt, 1838)

CICADELLINAE

Evacanthus Lepeletier & Serville, 1825
acuminatus (Fabricius, 1794)
interruptus (Linnaeus, 1758)
Bathysmatophorus J. Sahlberg, 1871
reuteri J. Sahlberg, 1871
Cicadella Latreille, 1817
lasiocarpae Ossiannilsson, 1981
viridis (Linnaeus, 1758)

TYPHLOCYBINAE**ALEBRINI**

Alebra Fieber, 1872
albostriella (Fallén, 1826)
neglecta W. Wagner, 1940
wahlbergi (Boheman, 1845)

DIKRANEURINI

Erythria Fieber, 1866
aureola (Fallén, 1826)
Emelyanoviana Anufriev, 1970
mollicula (Boheman, 1845)
Dikraneura Hardy, 1850
aridella (J. Sahlberg, 1871)
variata Hardy, 1850
Micantulina Anufriev, 1970
micantula (Zetterstedt, 1838)
pseudomicantula (Knight, 1966)
Wagneriala Anufriev, 1970
minima (J. Sahlberg, 1871)
Igutettix Matsumura, 1932
Vilbastiana Anufriev, 1970
oculatus (Lindberg, 1929)
maculosa (Vilbaste, 1968)
Forcipata DeLong & Caldwell, 1936
citrinella (Zetterstedt, 1828)
forcipata (Flor, 1861)
Notus Fieber, 1866
flavipennis (Zetterstedt, 1828)
marginalis J. Sahlberg, 1871

TYPHLOCYBINI

Empoasca Walsh, 1862
apicalis (Flor, 1861)
kontkaneni (Ossiannilsson, 1949)
ossiannilssoni (Nuorteva, 1948)
pteridis (Dahlbom, 1850)
solani (curtis, 1846) nom. dub.
vitis (Göthe, 1875)
flavescens (Flor, 1861) nec (Fabricius, 1794)
Kybos Fieber, 1866
Empoasca partim
abstrusus Linnavuori, 1949
butleri Edwards, 1908

lindbergi Linnavuori, 1951
betulicola W. Wagner, 1955
**mucronatus* (Ribaut, 1933)
populi Edwards, 1908
rufescens (Melichar, 1896)
smaragdula (Fallén, 1806)
sordidulus Ossiannilsson, 1941
strigilifer Ossiannilsson, 1941
virgator Ribaut, 1932
volgensis (Vilbaste, 1961)
Kyboasca Zachvatkin, 1953
bipunctata (Oshanin, 1871)
Chlorita Fieber, 1872
 sg. *Chlorita* s. str. , 1872
paolii Ossiannilsson, 1939
viridula (Fallén, 1806)
 sg. *Xerochlorita* Zachvatkin, 1953
dumosa Ribaut, 1933
Fagocyba Dlabola, 1958
 sg. *Fagocyba* s. str.
cruenta (Herrich-Schäffer, 1838)
douglasi (Edwards, 1878)
 sg. *Dryocyba* Vilbaste, 1968
carri (Edwards, 1914)
Edwardsiana Zachvatkin, 1929
alnicola (Edwards, 1924)
ampliata (W. Wagner, 1935)
avellanae (Edwards, 1888)
staminata (Ribaut, 1952)
bergmani (Tullgren, 1916)
candidula (Kirschbaum, 1868)
crataegi (Douglas, 1876)
australis (Froggatt, 1918) nec (Walsh, 1862)
frustrator (Edwards, 1908)
geometrica (Schrank, 1801)
gratiosa (Boheman, 1852)
ishidai (Matsumura, 1932)
lanternae auct. nec (W. Wagner, 1937)
lanternae (W. Wagner, 1937)
lethierryi (Edwards, 1881)
menzbieri Zachvatkin, 1948
plebeja (Edwards, 1914)
plurispinosa (W. Wagner, 1935)
hippocastani auct. nec (Edwards, 1888),
 partim
prunicola (Edwards, 1914)
barbata (Ribaut, 1931)
rosae (Linnaeus, 1758)
salicicola (Edwards, 1885)
sociabilis (Ossiannilsson, 1936)
soror (Linnavuori, 1950)
stehliki Lauterer, 1958
tersa (Edwards, 1914)
ulmiphagus Wilson & Claridge, 1999

hippocastani auct. nec (Edwards, 1888),
partim

Eupterycyba Dlabola, 1958

jucunda (Herrich-Schäffer, 1837)

Linnavuoriana Dlabola, 1958

decempunctata (Fallén, 1806)

decemguttata (Fallén, 1826)

intercedens (Linnavuori, 1949)

sexmaculata (Hardy, 1850)

sexpunctata (Fallén, 1826), primary
homonym

Ribautiana Zachvatkin, 1947

ulmi (Linnaeus, 1758)

Typhlocyba Germar, 1833

quercus (Fabricius, 1777)

Zonocyba Dlabola, 1958

bifasciata (Boheman, 1851)

Eurhadina Haupt, 1929

concinna (Germar, 1831)

kirschbaumi W. Wagner, 1937

pulchella (Fallén, 1806)

ribauti W. Wagner, 1935

Eupteryx Curtis, 1833

atropunctata (Goetze, 1778)

aurata (Linnaeus, 1758)

calcarata Ossiannilsson, 1936

collina (Flor, 1861)

alticola Ribaut, 1936

melissae auct. nec Curtis, 1836

cyclops Matsumura, 1906

urticae auct. nec (Fabricius, 1803)

decemnotata Rey, 1891

notata Curtis, 1837

origani Zachvatkin, 1948

signatipennis (Boheman, 1847)

tenella (Fallén, 1806)

stachydearum (Hardy, 1850)

urticae (Fabricius, 1803)

vittata (Linnaeus, 1758)

Wagneripteryx Dlabola, 1958

germari (Zetterstedt, 1838)

Aguriahana Distant, 1918

pictilis (Stål, 1853)

stellulata (Burmeister, 1841)

ERYTHRONEURINI

Alnetoidia Dlabola, 1958

alneti (Dahlbom, 1850)

Hauptidia Dworakowska, 1970

**distinguenda* (Kirschbaum, 1868)

Zyginidia Haupt, 1929

pullula (Boheman, 1845)

scutellaris auct. nec (Herrich-Schäffer,
1835)

Zygina Fieber, 1866

Erythroneura partim

sg. **Zygina** s. str.

angusta Lethierry, 1874

flammigera (Fourcroy, 1785)

nigritarsis Remane, 1959

ordinaria (Ribaut, 1936)

rosea (Flor, 1861)

rosincola (Cerutti, 1939)

rubrovittata (Lethierry, 1869)

ericetorum (J. Sahlberg, 1871)

schneideri (Günthart, 1974)

suavis (Rey, 1891)

rhamnicola Horváth, 1903

tiliae (Fallén, 1806)

sg. **Hypericella** Dworakowska, 1970

hyperici (Herrich-Schäffer, 1836)

Arboridia Zachvatkin, 1946

parvula (Boheman, 1845)

DELTOCEPHALINAE

GRYPOTINI

Grypotes Fieber, 1866

puncticollis (Herrich-Schäffer, 1834)

OPSINI

Circulifer Zachvatkin, 1953

haematoceps (Mulsant & Rey, 1855)

Neoliturus Distant, 1918

**fenestratus* (Herrich-Schäffer, 1834)

MACROSTELINI

Balclutha Kirkaldy, 1900

arhenana Dlabola, 1967

boica W. Wagner, 1950

calamagrostis Ossiannilsson, 1961

punctata (Fabricius, 1775)

lineolata (Horváth, 1904)

rhenana W. Wagner, 1939

Corycephalus Puton, 1886

gyllenhalii (Fallén, 1826)

Macrosteles Fieber, 1866

alpinus (Zetterstedt, 1828)

fascifrons (Stål, 1858)

cristatus (Ribaut, 1927)

empetri (Ossiannilsson, 1935)

fieberi (Edwards, 1889)

frontalis (Scott, 1875)

horvathi (W. Wagner, 1935)

laevis (Ribaut, 1927)

lividus (Edwards, 1894)

nubilus (Ossiannilsson, 1936)

mannerheimi (Kontkanen, 1937)

oshanini Razvyazkina, 1957

ossiannilssoni Lindberg, 1953
quadripunctulatus (Kirschbaum, 1868)
 **sardus* Ribaut, 1948
septemnotatus (Fallén, 1806)
sexnotatus (Fallén, 1806)
sordidipennis (Stål, 1858)
 sexnotata ssp. salina (Reuter, 1886)
variatus (Fallén, 1806)
viridigriseus (Edwards, 1924)
Erotettix Haupt, 1929
cyane (Boheman, 1845)

Sonronius Dorst, 1937
dahlbomi (Zetterstedt, 1838)
binotatus (J. Sahlberg, 1871)
anderi (Ossiannilsson, 1948)
Sagatus Ribaut, 1948
punctifrons (Fallén, 1826)

DELTOCEPHALINI

Deltocephalus Burmeister, 1838
pulicaris (Fallén, 1806)
Endria Oman, 1949
nebulosa (Ball, 1900)

DORATURINI

Doratura J. Sahlberg, 1871
exilis (Horváth, 1903)
homophyla (Flor, 1861)
 **impudica* Horváth, 1897
stylata (Boheman, 1847)

EUSCELINI

Platymetopius Burmeister, 1838
undatus (De Geer, 1773)
 henribauti Dlabola, 1961
Idiodonus Ball, 1936
cruentatus (Panzer, 1799)
Colladonus Ball, 1936
torneellus (Zetterstedt, 1828)
Lamprotettix Ribaut, 1942
 **nitidulus* (Fabricius, 1787)
Allygus Fieber, 1872
mixtus (Fabricius, 1794)
Allygidius Ribaut, 1948
commutatus (Fieber, 1872)
Graphocraerus Thomson, 1869
ventralis (Fallén, 1806)
Hardya Edwards, 1922
tenuis (Germar, 1821)
 fulvopicta (J. Sahlberg, 1871)
Rhopalopyx Ribaut, 1939
adumbrata (C. R. Sahlberg, 1842)
preyssleri (Herrich-Schäffer, 1838)
vitripennis (Flor, 1861)

Paluda DeLong, 1936
flaveola (Boheman, 1845)
Elymana DeLong, 1936
kozhevnikovi (Zachvatkin, 1938)
 ikumae auct. nec Matsumura, 1911
sulphurella (Zetterstedt, 1828)
Cicadula Zetterstedt, 1838
 sg. ***Cicadula*** s. str.
albingensis W. Wagner, 1940
flori (J. Sahlberg, 1871)
nigricornis (J. Sahlberg, 1871)
persimilis (Edwards, 1920)
quadrinotata (Fabricius, 1794)
quinquenotata (Boheman, 1845)
 ribauti (Kontkanen, 1937)
rubroflava Linnavuori, 1952
 ?*longiventris* (J. Sahlberg, 1871)
saturata (Edwards, 1915)
 sg. ***Cyperana*** DeLong, 1936
ciliata (Osborne, 1898)
intermedia (Boheman, 1845)
 lunulifrons (J. Sahlberg, 1871)
ornata (Melichar, 1900)
 ossiannilssoni Kontkanen, 1947
 sg. ***Henriana*** Emelyanov, 1964
frontalis (Herrich-Schäffer, 1835)
Speudotettix Ribaut, 1942
subfuscus (Fallén, 1806)
Hesium Ribaut, 1942
domino (Reuter, 1880)
 biguttatum (Fallén, 1806) nec (Fabricius, 1781)
 falleni Metcalf, 1955
Thamnotettix Zetterstedt, 1838
confinis (Zetterstedt, 1828)
 prominulus (Reuter, 1880)
Pithyotettix Ribaut, 1942
abietinus (Fallén, 1806)
Perotettix Ribaut, 1942
orientalis (Anufriev, 1971)
pictus (Lethierry, 1880)
Colobotettix Ribaut, 1948
morbillosus (Melichar, 1896)
Macustus Ribaut, 1942
grisescens (Zetterstedt, 1828)
Handianus Ribaut, 1942
 **flavovarius* Herrich-Schaeffer 1835
Doliotettix Ribaut, 1942
lunulatus (Zetterstedt, 1838)
 pallens (Zetterstedt, 1828) nec (Gmelin, 1790)
Athysanus Burmeister, 1838
argentarius Metcalf, 1955
 argentatus (Fabricius, 1794) nec (Olivier, 1790)

quadrum Boheman, 1845
Stictocoris Thomson, 1869
picturatus (C. R. Sahlberg, 1842)
lineatus (Fabricius, 1787) nec (Linnaeus, 1758)
Scleroracis van Duzee, 1894
corniculus (Marshall, 1866)
intractibilis (Kontkanen, 1948)
decumanus (Kontkanen, 1949)
striatulus (Fallén, 1806) nec (Fabricius, 1794)
identicus Tishechkin, 2003
plutonium sensu LeQuesne nec (Uhler, 1877)
?orichalceus (Thomson, 1869)
russeolus (Fallén, 1826)
striatulellus Edwards, 1894
transversus (Fallén, 1826)
Ophiolix Ribaut, 1942
paludosa (Boheman, 1845)
Limotettix J. Sahlberg, 1871
atricapillus (Boheman, 1845)
ochrifrons Vilbaste, 1973
sphagneticus Emelyanov, 1964
striola (Fallén, 1806)
Laburrus Ribaut, 1942
impictifrons (Boheman, 1852)
Euscelidius Ribaut, 1942
schenkii (Kirschbaum, 1858)
Euscelis Brullé, 1832
distinguendus (Kirschbaum, 1858)
Ederranus Ribaut, 1942
discolor (J. Sahlberg, 1871)
nauta (J. Sahlberg, 1871)
sachalinensis (Matsumura, 1911)
lutea (C. R. Sahlberg, 1842) nec (Olivier, 1790)
Streptanus Ribaut, 1942
aemulans (Kirschbaum, 1868)
sahlbergi (Reuter, 1880)
confinis (Reuter, 1880)
marginatus (Kirschbaum, 1858)
okaensis (Zachvatkin, 1948)
sordidus (Zetterstedt, 1828)
fraterculus (Reuter, 1880)

FIEBERIELLINI

Fieberiella Signoret, 1880
**septentrionalis* W. Wagner, 1963

JASSARGINI

Paramesus Fieber, 1866
obtusifrons (Stål, 1853)
nervosus (Fallén, 1826) nec (Linnaeus, 1758)

Parapotes Emelyanov, 1964
reticulatus (Horváth, 1897)
Paralimnus Matsumura, 1902
 sg. **Paralimnus** s. str.
phragmitis (Boheman, 1847)
lugens Horvath, 1897
zachvatkini Emelyanov, 1964
 sg. **Paragygrus** Emelyanov, 1959
rotundiceps (Lethierry, 1885)
Metalimnus Ribaut, 1942
formosus Boheman, 1845
obtusus (Emelyanov, 1966)
marmoratus (Flor, 1861)
stali (J. Sahlberg, 1871)
steini (Fieber, 1869)
Arocephalus Ribaut, 1946
 sg. **Arocephalus** s. str.
languidus (Flor, 1861)
haupti (Lindberg, 1924)
 sg. **Ariellus** Ribaut, 1952
punctum (Flor, 1861)
paucinervis (J. Sahlberg, 1871)
Psammotettix Haupt, 1929
albomarginatus W. Wagner, 1941
alienus (Dahlbom, 1851)
cephalotes (Herrich-Schäffer, 1834)
confinis (Dahlbom, 1851)
dubius Ossiannilsson, 1974
excisus (Matsumura, 1906)
frigidus (Boheman, 1845)
lapponicus (Ossiannilsson, 1936)
nodosus (Ribaut, 1925)
pallidinervis (Dahlbom, 1851)
poecilus (Flor, 1861)
sabulicola (Curtis, 1837)
arenicola (J. Sahlberg, 1871)
slovacus Dlabola, 1946
Ebarrius Ribaut, 1947
cognatus (Fieber, 1869)
interstinctus auct. nec (Fieber, 1869)
Adarrus Ribaut, 1947
multinotatus (Boheman, 1857)
Errastunus Ribaut, 1947
ocellaris (Fallén, 1806)
Turrutus Ribaut, 1947
socialis (Flor, 1861)
Mongolojassus Zachvatkin, 1953
sibiricus (Horváth, 1901)
bicuspidatus auct. nec (J. Sahlberg, 1871)
Jassargus Zachvatkin, 1933
 sg. **Arrailus** Ribaut, 1952
alpinus (Then, 1896)
 ssp. *neglectus* (Then, 1896)
flori (Fieber, 1869)
oculatus (J. Sahlberg, 1871)

pseudocellaris auct. nec (Flor, 1861),
partim
falleni auct. nec (Fieber, 1869), partim
sg. *Sayetus* Ribaut, 1952
allobrogicus (Ribaut, 1936)
pseudocellaris auct. nec (Flor, 1861),
partim
falleni auct. nec (Fieber, 1869), partim
sursumflexus (Then, 1902)
Pinumius Ribaut, 1947
areatus (Stål, 1858)
Diplocolenus Ribaut, 1947
bohemanii (Zetterstedt, 1838)
Verdanus Oman, 1949
abdominalis (Fabricius, 1803)
limbatellus (Zetterstedt, 1828)
Arthaldeus Ribaut, 1947
**arenarius* Remane, 1960
pascuellus (Fallén, 1826)
striifrons (Kirschbaum, 1868)
Rosenus Oman, 1949
laciniatus (Then, 1896)
cruciatus auct. nec (Osborne & Ball, 1898)
abiskoensis (Lindberg, 1926)
Sorhoanus Ribaut, 1947
assimilis (Fallén, 1806)
**schmidti* (Wagner 1939)
xanthonurus (Fieber, 1869)
Lebradea Remane, 1959
flavovirens (Gillette & Baker, 1895)
karafutonis (Matsumura, 1911)
icarus Ossiannilsson, 1976
Cosmotettix Ribaut, 1942
sg. **Cosmotettix** s. str.
caudatus (Flor, 1861)
scriptifrons (J. Sahlberg, 1871)
edwardsi (Lindberg, 1924)
evanescens Ossiannilsson, 1976
panzeri (Flor, 1861)
concaviceps (Lindberg, 1924)
sg. **Airosus** Ribaut, 1952
costalis (Fallén, 1826)
Calamotettix Emelyanov, 1964
taeniatus (Horváth, 1911)
Boreotettix Lindberg, 1952
bidentatus DeLong & Davidson, 1935
serricauda (Kontkanen, 1949)
Henschia Lethierry, 1892
collina (Boheman, 1850)
lateralis (J. Sahlberg, 1871)
Erzaleus Ribaut, 1952
metrius (Flor, 1861)

HETEROPTERA**DIPSOCOROMORPHA****CERATOCOMBIDAE**

Ceratocombus Signoret, 1852
sg. *Ceratocombus* s. str.
coleoptratus (Zetterstedt, 1819)
sg. *Xylonannus* Reuter, 1891
brevipennis Poppius, 1910
lusaticus Jordan, 1943
jordani Linnavuori, 1951
corticalis Reuter, 1889

DIPSOCORIDAE

Cryptostemma Herrich-Schäffer, 1835
pusillum (J. Sahlberg, 1870)
waltli (Fieber, 1860)

NEPOMORPHA**NEPIDAE****NEPINAE**

Nepa Linnaeus, 1758
cinerea Linnaeus, 1758
rubra Linnaeus, 1758

RANATRINAE

Ranatra Fabricius, 1790
linearis (Linnaeus, 1758)

CORIXIOIDEA**CORIXIDAE****MICRONECTINAE**

Micronecta Kirkaldy, 1897
griseola Horváth, 1899
minutissima (Linnaeus, 1758)
poweri (Douglas & Scott, 1869)

CYMATIAINAE

Cymatia Flor, 1860
bonsdorffi (C. R. Sahlberg, 1819)
coleoptrata (Fabricius, 1777)

CORIXINAE**GLAENOCORISINI**

Glaenocorisa Thomson, 1869
propinqua (Fieber, 1860)
cavifrons (Thomson, 1869)

CORIXINI

Arctocorisa Wallengren, 1894
carinata (C. R. Sahlberg, 1819)
germari (Fieber, 1848)
Callicorixa White, 1873
praeusta (Fieber, 1848)

producta (Reuter, 1880)
wollastoni (Douglas & Scott, 1865)
Corixa Geoffroy, 1762
dentipes Thomson, 1869
punctata (Illiger, 1807)
Hesperocorixa Kirkaldy, 1908
Sigara partim
castanea (Thomson, 1869)
linnaei (Fieber, 1848)
sahlbergi (Fieber, 1848)
Paracorixa Poisson, 1957
Callicorixa partim
concinna (Fieber, 1848)
Sigara Fabricius, 1775
 sg. **Sigara** s. str.
distincta (Fieber, 1848)
falleni (Fieber, 1848)
fallenoidea (Hungerford, 1926)
fossarum (Leach, 1817)
lateralis (Leach, 1817)
longipalis (J. Sahlberg, 1878)
striata (Linnaeus, 1758)
 sg. **Microsigara** Poisson, 1957
hellensii (C. R. Sahlberg, 1819)
 sg. **Pseudovermicorixa** Jaczewski, 1962
nigrolineata (Fieber, 1848)
 sg. **Retrocorixa** Walton, 1940
semistriata (Fieber, 1848)
limitata (Fieber, 1848)
 sg. **Vermicorixa** Walton, 1940
lateralis (Leach, 1817)

NAUCOROIDEA**APHELOCHEIRIDAE**

Aphelocheirus Westwood, 1833
aestivalis (Fabricius, 1794)

NOTONECTOIDEA**NOTONECTIDAE**

Notonecta Linnaeus, 1758
glauca Linnaeus, 1758
lutea Müller, 1776
reuteri Hungerford, 1928

PLEIDAE

Plea Leach, 1817
 **minutissima* Leach, 1817

GERROMORPHA**MESOVELIOIDEA****MESOVELIIDAE**

Mesovelgia Mulsant & Rey, 1852
furcata Mulsant & Rey, 1852

HEBROIDEA**HEBRIDAE**

Hebrus Curtis, 1833
pusillus (Fallén, 1807)
ruficeps Thomson, 1871

HYDROMETROIDEA**HYDROMETRIDAE**

Hydrometra Latreille, 1796
gracilentata Horváth, 1899

GERROIDEA**VELIIDAE****MICROVELIINAE**

Microvelia Westwood, 1834
buenoi Drake, 1920
umbricola Wróblewski
reticulata (Burmeister, 1835)

VELIINAE

Velia Latreille, 1804
 **caprai* Tamanini, 1947
saulii Tamanini, 1947

GERRIDAE

Aquarius Schellenberg, 1800

Gerris partim
najas (De Geer, 1773)
paludum (Fabricius, 1794)
Gerris Fabricius, 1794
 sg. **Gerris** s. str.
argentatus Schummel, 1832
lacustris (Linnaeus, 1758)
odontogaster (Zetterstedt, 1828)
sphagnetorum Gaunitz, 1947
thoracicus Schummel, 1832
 sg. **Gerriselloides** Hungerford & Matsuda, 1958
lateralis Schummel, 1832
Limnopus Stål, 1868
Gerris partim
rufoscutellatus (Latreille, 1807)

LEPTOPODOMORPHA**SALDOIDEA****SALDIDAE****CHILOXANTHINAE**

Chiloxanthus Reuter, 1891
stellatus (Curtis, 1835)

SALDINAE

Chartoscirta Stål, 1868
cincta (Herrich-Schaeffer, 1841)
elegantula (Fallén, 1807)

Halosalda Reuter, 1912
lateralis (Fallén, 1807)
Macrosaldula Leston & Southwood, 1964
Saldula partim
scotica (Curtis, 1835)
Micracanthia Reuter, 1912
fennica (Reuter, 1884)
marginalis (Fallén, 1807)
Saldula Van Duzee, 1914
arenicola (Scholtz, 1847)
fucicola (J. Sahlberg, 1870)
opacula (Zetterstedt, 1839)
orthochila (Fieber, 1859)
pallipes (Fabricius, 1794)
palustris (Douglas, 1874)
pilosella (Thomson, 1871)
saltatoria (Linnaeus, 1758)
Salda Fabricius, 1803
littoralis (Linnaeus, 1758)
morio Zetterstedt, 1838
muelleri (Gmelin, 1790)
sahlbergi Reuter, 1875
Teloleuca Reuter, 1912
bifasciata (Thomson, 1871)
pellucens (Fabricius, 1779)

CIMICOMORPHA

TINGOIDEA

TINGIDAE

Acalypta Westwood, 1840
carinata (Panzer, 1806)
gracilis (Fieber, 1844)
marginata (Wolff, 1804)
nigrina (Fallén, 1807)
parvula (Fallén, 1807)
platycheila (Fieber, 1844)
Agramma Stephens, 1829
femorale Thomson, 1871
tropidopterum Flor, 1860
Catoplatus Spinola, 1837
fabricii (Stål, 1868)
Derephysia Spinola, 1837
foliacea (Fallén, 1807)
Dictyla Stål, 1874
convergens (Herrich-Schaeffer, 1835)
?echii (Schrank, 1782)
Galeatus Curtis, 1833
affinis (Herrich-Schaeffer, 1835)*
spinifrons (Fallén, 1807)
Kalama Puton, 1876
tricornis (Schrank, 1801)
Physatocheila Fieber, 1844
costata (Fabricius, 1794)
quadrimaculata Wolff, 1804

Stephanitis Stål, 1873
oberti (Kolenati, 1857)
pyri (Fabricius, 1775)*
rhododendri Horváth, 1905
Tingis Fabricius, 1803
cardui (Linnaeus, 1758)

MIROIDEA

MICROPHYSIDAE

Loricula Curtis, 1833
elegantula (Bärensprung, 1858)
pselaphiformis Curtis, 1833
Myrmedobia Bärensprung, 1857
coleoptrata (Fallén, 1807)
distinguenda Reuter, 1884
exilis (Fallén, 1807)
tenella Zetterstedt, 1828

MIRIDAE

BRYOCORINAE

BRYOCORINI

Bryocoris Fallén, 1829
pteridis (Fallén, 1807)
Monalocoris Dahlbom, 1851
filicis (Linnaeus, 1758)

DICYPHINI

Dicyphus Fieber, 1858
 sg. ***Brachyceroea*** Fieber, 1898
globulifer (Fallén, 1829)
 sg. ***Dicyphus*** s. str.
constrictus (Boheman, 1852)
 **epilobii* Reuter, 1883
 **errans* (Wolff, 1804)
pallicornis (Fieber, 1861)
Nesidiocoris Kirkaldy, 1902
 **tenuis* (Reuter, 1895)*
Campylonerura Fieber, 1875
 **virgula* (Herrich-Schäffer, 1837)
Macrolophus Fieber, 1858
pygmaeus (Rambur, 1839)
nubilus auct. nec. (Herrich-Schaeffer, 1835)
melanotoma (A. Costa, 1853)*
Tupiocoris China & Carvalho, 1952
 **rhododendri* (Dolling, 1972)

DERAECORINAE

CLIVINEMATINI

Bothynotus Fieber, 1864
pilosus (Boheman, 1852)

HYALOIDINI

Stethoconus Flor, 1860
cyrtopeltis (Flor, 1860)

DERAECORINI

Alloeotomus Fieber, 1858
germanicus Wagner, 1939
gothicus (Fallén, 1807)
Deraeocoris Kirschbaum, 1855
 sg. *Deraeocoris* s.str.
 **morio* (Boheman, 1852)
 **ruber* (Linnaeus, 1758)
scutellaris (Fabricius, 1794)
 sg. *Camptobrochis* Fieber, 1858
 **lutescens* (Schilling, 1837)
punctulatus (Fallén, 1807)

MIRINAE**STENODEMINI**

Myrmecoris Gorski, 1852
gracilis (R. F. Sahlberg, 1848)
Pithanus Fieber, 1858
hrabei Stehlik, 1952
maerkelii (Herrich-Schaeffer, 1838)
Acetropis Fieber, 1858
 **gimmerthalii* (Flor, 1860)
Actinocoris Reuter, 1876
signatus Reuter, 1878
Leptopterna Fieber, 1858
dolabrata (Linnaeus, 1758)
ferrugata (Fallén, 1807)
Megaloceroea Fieber, 1858
recticornis (Geoffroy, 1785)
Notostira Fieber, 1878
elongata (Geoffroy, 1785)
erratica (Linnaeus, 1758)
Stenodema Laporte de Castelnau, 1832
 sg. *Stenodema* s. str.
holsatum (Fabricius, 1787)
laevigatum (Linnaeus, 1758)
virens (Linnaeus, 1767)
 sg. *Brachystira* Fieber, 1858
calcaratum (Fallén, 1807)
trispinosum Reuter, 1904
Teratocoris Fieber, 1858
antennatus (Boheman, 1852)
caricis Kirkaldy, 1909
 elegans Woodroffe, 1967
paludum J. Sahlberg, 1870
saundersi Douglas & Scott, 1869
 lineatus E. Wagner, 1952
viridis Douglas & Scott, 1867
Trigonotylus Fieber, 1858
caelestialium (Kirkaldy, 1902)
fuscitarsis Lammes, 1987
ruficornis (Geoffroy, 1785)

MIRINI

Pantilius Curtis, 1833
tunicatus (Fabricius, 1781)
Phytocoris Fallén, 1814
 sg. *Phytocoris* s. str.
dimidiatus Kirschbaum, 1856
intricatus Flor, 1861
longipennis Flor, 1861
pini Kirschbaum, 1856
populi (Linnaeus, 1758)
reuteri Saunders, 1876
tiliae (Fabricius, 1776)
 sg. *Ktenocoris* Wagner, 1954
insignis Reuter, 1876
ulmi (Linnaeus, 1758)
Megacoelum Fieber, 1858
infusum (Herrich-Schaeffer, 1837)
Adelphocoris Reuter, 1896
lineolatus (Goeze, 1778)
quadripunctatus (Fabricius, 1794)
seticornis (Fabricius, 1775)
Calocoris Fieber, 1858
affinis (Herrich-Schaeffer, 1835)
roseomaculatus (De Geer, 1773)
Closterotomus Fieber, 1858
 Calocoris partim
biclavatus (Herrich-Schaeffer, 1835)
fulvomaculatus (De Geer, 1773)
norwegicus (Gmelin, 1790)
Grypocoris Douglas & Scott, 1868
 Calocoris partim
sexguttatus (Fabricius, 1777)
Rhabdomiris E. Wagner, 1968
striatellus (Fabricius, 1794)
Miris Fabricius, 1794
striatus (Linnaeus, 1758)
Stenotus Jakovlev, 1877
binotatus (Fabricius, 1794)
Dichrooscytus Fieber, 1858
gustavi Josifov, 1981
intermedius Reuter, 1885
rufipennis (Fallén, 1807)
 **sp. nov.*
Lygocoris Reuter, 1875
 sg. *Lygocoris* s. str.
pabulinus (Linnaeus, 1761)
rugicollis (Fallén, 1807)
 sg. *Neolygus* Knight, 1917
contaminatus (Fallén, 1807)
viridis (Fallén, 1807)
Apolygus China, 1941
 Lygocoris partim
limbatus (Fallén, 1807)

lucorum (Meyer-Dür, 1843)
ramnicola (Reuter, 1885)
spinolae (Meyer-Dür, 1841)
Lygus Hahn, 1833
gemellatus (Herrich-Schaeffer, 1835)
adpersus (Schilling, 1837) sensu
 Demchenko 2004
pratensis (Linnaeus, 1758)
punctatus (Zetterstedt, 1838)
rugulipennis Poppius, 1911
wagneri Remane, 1955
Orthops Fieber, 1858
basalis (Costa, 1853)
campestris (Linnaeus, 1758)
kalmii (Linnaeus, 1758)
Pinalitus Kelton, 1955
Orthops partim
cervinus (Herrich-Schaeffer, 1841)
rubricatus (Fallén, 1807)
Agnocoris Reuter, 1875
rubicundus (Fallén, 1807)
Liocoris Fieber, 1858
tripustulatus (Fabricius, 1781)
Camptozygum Reuter, 1896
aequale (Villers, 1789)
pinastri (Fallén, 1896)
Polymerus Hahn, 1831
 sg. **Polymerus** s. str.
nigrita (Fallén, 1807)
 sg. **Poeciloscytus** Fieber, 1958
cognatus (Fieber, 1858)
lammesi Rinne, 1989
microphthalmus (Wagner, 1951)
palustris (Reuter, 1907)
tepastus Rinne, 1989
unifasciatus (Fabricius, 1794)
vulneratus (Panzer, 1806)
Charagochilus Fieber, 1858
gyllenhali (Fallén, 1807)
Capsus Fabricius, 1803
ater (Linnaeus, 1758)
wagneri Remane, 1950

ORTHOTYLINAE

HALTICINI

Halticus Hahn, 1829
apterus (Linnaeus, 1758)
major Wagner, 1951
Strongylocoris Blanchard, 1840
leucocephalus (Linnaeus, 1758)
niger (Herrich-Schaeffer, 1835)
steganoides (J. Sahlberg, 1875)
Pachytomella Reuter, 1891
parallela (Meyer-Dür, 1843)

Orthocephalus Fieber, 1858
brevis (Panzer, 1798)
saltator (Hahn, 1835)
vittipennis (Herrich-Schaeffer, 1835)
Euryopicoris Reuter, 1875
fennicus Wagner, 1954
nitidus (Meyer-Dür, 1843)
Labops Burmeister, 1835
sahlbergii (Fallén, 1829)
Myrmecophyes Fieber, 1879
alboornatus (Stål, 1858)

ORTHOTYLINI

Malacocoris Fieber, 1858
chlorizans (Panzer, 1794)
Reuteria Puton, 1875
**marqueti* Puton, 1875
Orthotylus Fieber, 1858
 sg. **Orthotylus** s. str.
boreellus (Zetterstedt, 1828)
flavinervis (Kirschbaum, 1856)
marginalis Reuter, 1883
nassatus (Fabricius, 1787)
prasinus (Fallén, 1826)
tenellus (Fallén, 1807)
virens (Fallén, 1807)
viridinervis (Kirschbaum, 1856)
 sg. **Litocoris** Fieber, 1860
ericetorum (Fallén, 1807)
 sg. **Melanotrichus** Reuter, 1875
flavosparsus (C. R. Sahlberg, 1841)
 sg. **Pinocapsus** Southwood, 1953
fuscescens (Kirschbaum, 1856)
 sg. **Pseudorthotylus** Poppius, 1914
bilineatus (Fallén, 1807)
Pseudoloxops Kirkaldy, 1905
coccineus (Meyer-Dür, 1843)
Cyrtorhinus Fieber, 1858
caricis (Fallén, 1807)
Fieberocapsus Carvalho & Southwood, 1955
flaveolus (Reuter, 1870)
Mecomma Fieber, 1858
 sg. **Mecomma** s. str.
ambulans (Fallén, 1807)
 sg. **Globicellus** Kiritschenko, 1951
dispar (Boheman, 1852)
Globiceps Lepeletier & Serville, 1825
flavomaculatus (Fabricius, 1794)
salicicola Reuter, 1880
Blepharidopterus Kolenati, 1845
angulatus (Fallén, 1807)
diaphanus (Kirschbaum, 1856)
Cyllecoris Hahn, 1834
histrionius (Linnaeus, 1767)

Dryophilocoris Reuter, 1875
flavoquadrimaculatus (De Geer, 1773)

PHYLINAE

PILOPHORINI

Pilophorus Hahn, 1826
cinnamopterus (Kirschbaum, 1856)
clavatus (Linnaeus, 1767)
confusus (Kirschbaum, 1856)
perplexus Douglas & Scott, 1875

HALLODAPINI

Cremnocephalus Fieber, 1861
albolineatus Reuter, 1875
Hallodapus Fieber, 1858
rufescens (Burmeister, 1835)
Systellonotus Fieber, 1858
triguttatus (Linnaeus, 1767)

PHYLINI

Oncotylus Fieber, 1858
punctipes Reuter, 1875
Macrotylus Fieber, 1859
cruciatus (R. F. Sahlberg, 1848)
Plagiognathus Fieber, 1858
arbustorum (Fabricius, 1794)
chrysanthemii (Wolff, 1804)
Europiella Reuter, 1909
Plagiognathus partim
Poliopterus E. Wagner, 1949
albipennis (Fallén, 1829)
artemisiae (Becker, 1864)
albipennis auct. nec (Fallén, 1829), partim
Parapsallus E. Wagner, 1952
Plagiognathus partim
vitellinus (Scholtz, 1847)
Campylomma Reuter, 1878
verbasci (Meyer-Dür, 1843)
Monosynamma Scott, 1864
bohemanni (Fallén, 1829)
Chlamydatus Curtis, 1833
 sg. *Chlamydatus* s. str.
opacus (Zetterstedt, 1838)
saltitans (Fallén, 1807)
 sg. *Euattus* Kerzhner, 1962
 **dryophilus* Vinokurov, 1982
pulicarius (Fallén, 1807)
pullus (Reuter, 1870)
wilkinsoni (Douglas & Scott, 1866)
Salicarus Kerzhner, 1962
roseri (Herrich-Schaeffer, 1838)
Sthenarus Fieber, 1858
rotermundi (Scholtz, 1847)
Criocoris Fieber, 1858
crassicornis (Hahn, 1834)

quadrimaculatus (Fallén, 1807)
Atractotomus Fieber, 1853
kolenatii (Flor, 1860)
magnicornis (Fallén, 1807)
mali (Meyer-Dür, 1843)
morio J. Sahlberg, 1883
Psallus Fieber, 1858
 sg. *Psallus* s. str.
falleni Reuter, 1883
 **flavellus* Stichel, 1960
haematodes (Gmelin, 1790)
alni (Fabricius, 1794)
roseus (Fabricius, 1777), preocc.
lepidus Fieber, 1858
mollis (Mulsant & Rey, 1852)
masseei Woodroffe, 1957
salicis (Kirschbaum, 1856)
alnicola Douglas & Scott, 1871
scholtzi Fieber, 1861
varians (Herrich-Schaeffer, 1841)
 sg. *Apocremnus* Fieber, 1858
aethiops (Zetterstedt, 1838)
betuleti (Fallén, 1826)
graminicola (Zetterstedt, 1828)
 **montanus* Josifov, 1973
 sg. *Hylopsallus* Wagner, 1952
perrisi (Mulsant & Rey, 1852)
variabilis (Fallén, 1807)
wagneri Ossiannilsson, 1953
 sg. *Mesopsallus* Wagner, 1970
ambiguus (Fallén, 1807)
 sg. *Phylidea* Reuter, 1899
quercus (Kirschbaum, 1856)
 sg. *Pityopsallus* Wagner, 1952
lapponicus Reuter, 1874
luridus Reuter, 1878
 **piceae* (Reuter, 1879)
Compsidolon Reuter, 1899
salicellum (Herrich-Schaeffer, 1841)
Phoenicocoris Reuter, 1875
modestus (Meyer-Dür, 1843)
obscurellus (Fallén, 1829)
Orthonotus Stephens, 1829
rufifrons (Fallén, 1807)
Brachyarthrum Fieber, 1858
limitatum Fieber, 1858
Tytthus Fieber, 1864
pubescens (Knight, 1931)
pygmaeus (Zetterstedt, 1838)
Plesiodema Reuter, 1875
pinetellum (Zetterstedt, 1828)
Phylus Hahn, 1831
coryli (Linnaeus, 1758)
melanocephalus (Linnaeus, 1767)

Megalocoleus Reuter, 1890
molliculus (Fallén, 1807)
tanacetii (Fallén, 1807)
pilosus (Schränk, 1801)
Hoplomachus Fieber, 1858
thunbergii (Fallén, 1807)
Placochilus Fieber, 1858
seladonicus (Fallén, 1807)
Lopus Hahn, 1831
decolor (Fallén, 1807)

CIMICOIDEA

NABIDAE

Himacerus Wolff, 1811
Nabis partim
boops (Schiödte, 1870)
Nabis Latreille, 1802
 sg. *Nabis* s. str.
brevis Scholtz, 1847
ericetorum Scholtz, 1847
ferus (Linnaeus, 1758)
pseudoferus Remane, 1949
punctatus A. Costa, 1847
feroides remane, 1953
rugosus (Linnaeus, 1758)
 sg. *Reduviolus* Kirby, 1837
inscriptus (Kirby, 1837)
 sg. *Dolichonabis* Reuter, 1908
limbatus Dahlbom, 1851
 sg. *Limnonabis* Kerzhner, 1968
lineatus Dahlbom, 1851
 sg. *Nabicula* Kirby, 1837
flavomarginatus Scholtz, 1847

ANTHOCORIDAE

ANTHOCORINAE

ANTHOCORINI

Acompocoris Reuter, 1875
alpinus Reuter, 1875
pygmaeus (Fallén, 1807)
Anthocoris Fallén, 1814
confusus Reuter, 1884
gallarumulmi (De Geer, 1773)
limbatus Fieber, 1836
nemoralis (Fabricius, 1794)
nemorum (Linnaeus, 1761)
pilosus (Jakovlev, 1877)
sibiricus Reuter, 1875
simulans Reuter, 1884
minki auct. nec Dohrn, 1860
Elatophilus Reuter, 1884
nigrellus (Zetterstedt, 1838)
nigricornis (Zetterstedt, 1838)
stigmatellus (Zetterstedt, 1838)

Temnostethus Fieber, 1860
gracilis Horváth, 1907
pusillus (Herrich-Schaeffer, 1835)
Tetraphleps Fieber, 1860
aterrima (J. Sahlberg, 1878)
bicuspis (Herrich-Schaeffer, 1835)

ORIINI

Orius Wolff, 1811
 sg. *Orius* s. str.
laevigatus (Fieber, 1860) *
niger (Wolff, 1811)
compressicornis R. F. Sahlberg, 1848
 sg. *Dimorphella* Reuter, 1884
agilis (Flor, 1860)
 sg. *Heterorius* Wagner, 1952
horvathi (Reuter, 1884)
laticollis (Reuter, 1884)
majusculus (Reuter, 1879)
vicinus (Ribaut, 1923)

LYCTOCORIDAE

LYCTOCORINI

Amphiareus Distant, 1904
obscuriceps (Poppius, 1909)
Lyctocoris Hahn, 1836
campestris (Fabricius, 1794)
nidicola Wagner, 1955

SCOLOPINI

Scoloposcelis Fieber, 1838
obscura (Zetterstedt, 1838)
pulchella (Zetterstedt, 1838)

XYLOCORINI

Xylocoris Dufour, 1831
 sg. *Xylocoris* s. str.
cursitans (Fallén, 1807)
formicetorum (Boheman, 1844)
parvulus (Reuter, 1871)
 sg. *Proxylocoris* Carayon, 1972
galactinus (Fieber, 1836)
 sg. *Stictosynechia* Reuter, 1884
lativentris (J. Sahlberg, 1870)

CIMICIDAE

Cimex Linnaeus, 1758
columbarius Jenyns, 1839
lectularius Linnaeus, 1758
Oeciacus Stål, 1873
hirundinis (Lamarck, 1816)

REDUVIIDAE**CENTROCNE MIDINAE***Empicoris* Wolff, 1811*culiciformis* (De Geer, 1773)*vagabundus* (Linnaeus, 1758)**PHYMATINAE***Phymata* Latreille, 1802*crassipes* (Fabricius, 1775)**STENOPODAINAE***Pygolampis* Germar, 1817*bidentata* (Goeze, 1778)**HARPACTOCORINAE***Coranus* Curtis, 1833*aethiops* Jakovlev, 1893*subapterus* auct. nec (De Geer, 1773),

partim

subapterus (De Geer, 1773)*Rhynocoris* Hahn, 1833*annulatus* (Linnaeus, 1758)**REDUVIINAE***Reduvius* Fabricius, 1775**personatus* (Linnaeus, 1758)**ARADIDAE****ANEURINAE***Aneurus* Curtis, 1824*avenius* (Dufour, 1833)**ARADINAE***Aradus* Fabricius, 1803*angularis* J. Sahlberg, 1886*annulicornis* Fabricius, 1803*anisotomus* Puton, 1879*aterrimus* Fieber, 1864*betulae* (Linnaeus, 1758)*betulinus* Fallén, 1829*bimaculatus* Reuter, 1872*brevicollis* Fallén, 1807*cinnamomeus* (Panzer, 1794)*corticalis* (Linnaeus, 1758)*crenaticollis* R. F. Sahlberg, 1848*depressus* (Fabricius, 1794)*erosus* Fallén, 1807*laeviusculus* Reuter, 1875*lugubris* Fallén, 1805*montandoni* Reuter, 1885*obtectus* Vásárhelyi, 1988*pictus* auct. nec Bärensprung, 1859*signaticornis* R. F. Sahlberg, 1848*truncatus* Fieber, 1861**LYGAEIDAE****LYGAEINAE***Lygaeus* Fabricius, 1794*equestris* (Linnaeus, 1758)**ORSILLINAE****NYSIINI***Nithecus* Horváth, 1890*jacobaeae* (Schilling, 1829)*Nysius* Dallas, 1852*ericae* (Schilling, 1829)*groenlandicus* (Zetterstedt, 1840)*helveticus* (Herrich-Schaeffer, 1850)*thymi* (Wolff, 1804)**ORSILLINI***Ortholomus* Stål, 1872*punctipennis* (Herrich-Schaeffer, 1839)**ISCHNORHYNCINAE***Kleidocerys* Stephens, 1829*resedae* (Panzer, 1797)**CYMIDAE***Cymus* Hahn, 1832*aurescens* Distant, 1883*obliquus* Horváth, 1888*clavicolus* (Fallén, 1807)*glandicolor* Hahn, 1832*melanocephalus* Fieber, 1861**BLISSIDAE***Ischnodemus* Fieber, 1836*sabuleti* (Fallén, 1826)**GEOCORIDAE***Geocoris* Fallén, 1814*ater* (Fabricius, 1787)*dispar* (Waga, 1839)*grylloides* (Linnaeus, 1758)*lapponicus* Zetterstedt, 1838**ARTHENEIDAE***Chilacis* Fieber, 1864*typhae* (Perris, 1857)**HETEROGASTRIDAE***Heterogaster* Schilling, 1829*urticae* (Fabricius, 1775)**OXYCARENIDAE***Macroplax* Fieber, 1860*preyssleri* (Fieber, 1837)*Oxycarenus* Fieber, 1837*modestus* (Fallén, 1829)*lavatae* (Fabricius, 1787)*

Philomyrmex R. F. Sahlberg, 1848
insignis R. F. Sahlberg, 1848
Tropidophlebia Kerzhner, 1964
costalis (Herrich-Schäffer, 1837)

RHYPAROCHROMIDAE

RHYPAROCHROMINAE

ANTILLOCORINI

Tropistethus Fieber, 1860
holosericeus (Scholtz, 1846)

DRYMINI

Drymus Fieber, 1860
pilicornis (Mulsant & Rey, 1852)
brunneus (R. F. Sahlberg, 1848)
ryei Douglas & Scott, 1865
sylvaticus (Fabricius, 1775)
Eremocoris Fieber, 1860
abietis (Linnaeus, 1758)
plebejus (Fallén, 1807)
Gastrodes Westwood, 1840
abietum Bergroth, 1914
grossipes (De Geer, 1773)
Lamproplax Douglas & Scott, 1868
picea (Flor, 1860)
Scolopostethus Fieber, 1860
affinis (Schilling, 1829)
decoratus (Hahn, 1833)
pictus (Schilling, 1829)
pilosus Reuter, 1874
thomsoni Reuter, 1874
Taphropeltus Stål, 1873
hamulatus (Thomson, 1870)

GONIANOTINI

Aphanus Laporte de Castelnau, 1832
rolandri (Linnaeus, 1758)
Gonianotus Fieber, 1860
marginepunctatus (Wolff, 1804)
Macrodema Fieber, 1860
micropterum (Curtis, 1836)
Ischnocoris Fieber, 1860
angustulus (Boheman, 1852)
Pionosomus Fieber, 1860
varius (Wolff, 1804)
Pterotmetus Amyot & Audinet-Serville, 1843
staphyliniformis (Schilling, 1829)
Trapezonotus Fieber, 1860
arenarius (Linnaeus, 1758)
desertus Seidenstücker, 1951
anorus (Flor, 1860)

MEGALONOTINI

Megalonotus Fieber, 1860
antennatus (Schilling, 1829)

chiragra (Fabricius, 1794)
Sphragisticus Stål, 1872
nebulosus (Fallén, 1807)

RHYPAROCHROMINI

Graptopeltus Stål, 1872
lynceus (Fabricius, 1775)
Peritrechus Fieber, 1860
angusticollis (R. F. Sahlberg, 1848)
convivus (Stål, 1858)
distinguendus (Flor, 1860)
geniculatus (Hahn, 1832)
nubilus (Fallén, 1807)
Rhyparochromus Hahn, 1826
phoeniceus (Rossi, 1794)
pini (Linnaeus, 1758)

MYODOCHINI

Ligyrocoris Stål, 1872
sylvestris (Linnaeus, 1758)
Pachybrachius Hahn, 1826
fracticollis (Schilling, 1829)
luridus Hahn, 1826

PLINTHISINAE

PLINTHISINI

Plinthisus Stephens, 1829
brevipennis (Latreille, 1807)
pusillus (Scholtz, 1847)

STYGNOCORINI

Acompus Fieber, 1860
rufipes (Wolff, 1804)
Stygnocoris Douglas & Scott, 1865
cimbricus (Gredler, 1870)
pygmaeus auct. nec (R. F. Sahlberg, 1848)
fuliginus (Geoffroy, 1785)
rusticus (Fallén, 1807)
sabulosus (Schilling, 1829)
pygmaeus (R. F. Sahlberg, 1848)

PIESMATIDAE

Parapiesma Pericart, 1974
Piesma partim
quadratum (Fieber, 1844)
salsolae (Becker, 1867)
Piesma Lepeletier & Audinet-Serville, 1825
capitatum (Wolff, 1804)
maculatum (Laporte, 1833)

BERYTIDAE

BERYTINAE

Neides Latreille, 1804
tipularius (Linnaeus, 1758)

Berytinus Kirkaldy, 1900
 sg. **Berytinus** s. str.
clavipes (Fabricius, 1775)
minor (Herrich-Schaeffer, 1835)
 sg. **Lizinus** Mulsant & Rey, 1870
crassipes (Herrich-Schaeffer, 1835)
signoreti (Fieber, 1859)

METACANTHINAE

Metatropis Fieber, 1859
rufescens (Herrich-Schaeffer, 1835)
linnaeae (E. Wagner, 1950)

PYRRHOCORIDAE

Pyrrhocoris Fallén, 1814
apterus (Linnaeus, 1758)*

RHOPALIDAE

RHOPALINAE

RHOPALINI

Brachycarenum Fieber, 1860
tigrinus (Schilling, 1827)
Corizus Fallén, 1814
hyoscyami (Linnaeus, 1758)
Liorhysus Stål, 1870
hyalinus (Fabricius, 1794)
Rhopalus Schilling, 1827
maculatus (Fieber, 1836)
distinctus (Signoret, 1859)
conspersus auct. nec (Fieber, 1836)
parumpunctatus (Schilling, 1827)
subrufus (Gmelin, 1790)
Stictopleurus Stål, 1872
abutilon (Rossi, 1790)
crassicornis (Linnaeus, 1758)
punctatonevrosus (Goeze, 1778)

CHOROSOMATINI

Chorosoma Curtis, 1830
schillingii (Schummel, 1827)
Myrmus Hahn, 1832
miriformis (Fallén, 1807)

ALYDIDAE

Alydus Fabricius, 1803
calcaratus (Linnaeus, 1758)

COREIDAE

PSEUDOPHLOEINAE

Bathysolen Fieber, 1860
nubilus (Fallén, 1807)
Coriomeris Westwood, 1842
denticulatus (Scopoli, 1763)

scabricornis (Panzer, 1809)
 ssp. *lapponicus* Tshernova, 1978
Nemocoris R. F. Sahlberg, 1848
fallenii R. F. Sahlberg, 1848
Ulmicola Kirkaldy, 1909
spinipes (Fallén, 1829)

COREINAE

Coreus Fabricius, 1794
marginatus (Linnaeus, 1758)
Spathocera Stein, 1860
dalmanii (Schilling, 1829)

CYDNIDAE

Adomerus Mulsant & Rey, 1866
biguttatus (Linnaeus, 1758)
Legnotus Schiödt, 1848
picipes (Fallén, 1807)
Ochetostethus Fieber, 1860
opacus (Scholtz, 1847)
nanus auct. nec (Herrich-Schäffer, 1834)
Sehirus Amyot & Audinet-Serville, 1843
luctuosus Mulsant & Rey, 1866
Tritomegas Amyot & Audinet-Serville, 1843
Sehirus partim
bicolor (Linnaeus, 1758)

THYREOCORIDAE

Thyreocoris Schrank, 1801
scarabaeoides (Linnaeus, 1758)

ACANTHOSOMATIDAE

Acanthosoma Curtis, 1824
haemorrhoidale (Linnaeus, 1758)
Cyphostethus Fieber, 1860
tristriatus (Fabricius, 1787)
Elasmostethus Fieber, 1860
brevis Lindberg, 1934
interstinctus (Linnaeus, 1758)
minor Horváth, 1899
Elasmucha Stål, 1864
ferrugata (Fabricius, 1787)
fieberi (Jakovlev, 1864)
grisea (Linnaeus, 1758)

SCUTELLERIDAE

ODONTOTARSINAE

Phimodera Germar, 1839
humeralis (Dalman, 1823)
lapponica (Zetterstedt, 1828)

ODONTOSCELINAE

Odontoscelis Laporte de Castelnau, 1833
fuliginosa (Linnaeus, 1761)

EURYGASTRINAE

Eurygaster Laporte de Castelnau, 1833
testudinaria (Geoffroy, 1785)

PENTATOMIDAE**ASOPINAE**

Jalla Hahn, 1832

dumosa (Linnaeus, 1758)

Pinthaeus Stål, 1868

**sanguinipes* (Fabricius, 1781)

Picromerus Amyot & Audinet-Serville, 1843

bidens (Linnaeus, 1758)

Rhacognathus Fieber, 1860

punctatus (Linnaeus, 1758)

Troilus Stål, 1868

luridus (Fabricius, 1775)

Zicrona Amyot & Audinet-Serville, 1843

caerulea (Linnaeus, 1758)

PENTATOMINAE**AELIINI**

Aelia Fabricius, 1803

acuminata (Linnaeus, 1758)

klugii Hahn, 1831

**rostrata* Boheman, 1852

Neottiglossa W. Kirby, 1837

pusilla (Gmelin, 1790)

CARPOCORINI

Carpocoris Kolenati, 1846

purpureipennis (De Geer, 1773)

Chlorochroa Stål, 1872

Pitedia Reuter, 1888

juniperina (Linnaeus, 1758)

pinicola (Mulsant, 1852)

Dolycoris Mulsant & Rey, 1866

baccarum (Linnaeus, 1758)

Peribalus Mulsant & Rey, 1866

Holcostethus Fieber, 1860 preocc.

strictus (Fabricius, 1804)

vernalis (Wolff,) auct.

Palomena Mulsant & Rey, 1866

prasina (Linnaeus, 1761)

EYSARCORINI

Eysarcoris Hahn, 1834

aeneus (Scopoli, 1763)

Stagonomus Gorski, 1852

bipunctatus (Linnaeus, 1758)

pusillus (Herrich-Schaeffer, 1830)

PENTATOMINI

Nezara Amyot & Audinet-Serville, 1843

viridula (Linnaeus, 1758)*

Pentatoma Olivier, 1789

rufipes (Linnaeus, 1758)

SCIOCORINI

Sciocoris Fallén, 1829

sg. *Aposciocoris* Wagner, 1965

**homalonotus* Fieber, 1851

microphthalmus Flor, 1860

umbrinus (Wolff, 1804)

sg. *Sciocoris* s. str.

cursitans (Fabricius, 1794)

STRACHIINI

Eurydema Laporte de Castelnau, 1833

oleraceum (Linnaeus, 1758)

ornatum (Linnaeus, 1758)*

dominulum (Scopoli, 1763)

PODOPINAE**GRAPHOSOMATINI**

Graphosoma Laporte de Castelnau, 1833

lineatum (Linnaeus, 1758)

TARISINI

Dybowskyia Jakovlev, 1877

reticulata (Dallas, 1851)

References

Albrecht, A., Mattila, K., Rinne, V. & Söderman, G. 2008: Suomen nivelkärsäisten luettelo — Check-list of Finnish Hemiptera. – The Finnish Expert group on Hemiptera (http://biolcoll.utu.fi/hemi/tyoryhma/tyoryhma_eng.htm).

Aukema, B. & Rieger, C. (eds.). 1995: Catalogue of the Heteroptera of the Palaearctic Region, vol. 1. Enicocephalomorpha, Dipsocoromorpha, Nepomorpha, Gerromorpha and Leptopodomorpha. Amsterdam, The Netherlands Entomological Society, xxvi + 222 pp.

— 1996: Catalogue of the Heteroptera of the Palaearctic Region, vol. 2. Cimicomorpha I. Amsterdam, The Netherlands Entomological Society, xiv + 361 pp.

— 1999: Catalogue of the Heteroptera of the Palaearctic Region, vol. 3. Cimicomorpha II. Amsterdam, The Netherlands Entomological Society, xiv + 577 pp.

- 2001: Catalogue of the Heteroptera of the Palaearctic Region, vol. 4. Pentatomomorpha I. Amsterdam, The Netherlands Entomological Society, xiv + 346 pp.
- 2006: Catalogue of the Heteroptera of the Palaearctic Region, vol. 5. Pentatomomorpha II. Amsterdam, The Netherlands Entomological Society, xiii + 550 pp.
- Blackman, R. & Eastop, V. 2014: Aphids on the World's Plants. An online identification and information guide. <http://www.aphidsonworldsplants.info/index.htm>, as of December, 2014)
- Gertsson, C.-A. 1987: The Swedish whiteflies (Homoptera: Aleyrodidae). – Entomologisk Tidskrift 108: 85–91.
- 2005: New species and new province-records of scale insects from Sweden (Hemiptera: Coccoidea) up to the year 2004. – Entomologisk Tidskrift 126: 35–42.
- Huldén, L. 1986: The whiteflies (Homoptera, Aleyrodoidea) and their parasites in Finland. — Notulae Entomologicae 66: 1–40.
- Ossiannilsson, F. 1992: The Psylloidea (Homoptera) of Fennoscandia and Denmark. Fauna Entomologica Scandinavica. 26: 346 pp. E. J. Brill, Leiden
- Söderman, G., Gillerfors, G. & Endrestöl, A. 2009: An annotated catalogue of the Auchenorrhyncha of Northern Europe (Insecta, Hemiptera: Fulgoromorpha et Cicadomorpha). — Cicadina 10: 33–69.